

515-532

Cus/Len



13834



00013834

**THE
ASIATIC SOCIETY OF BOMBAY**
Town Hall, Bombay.





LEUCORRHŒA,
ITS
CONCOMITANT SYMPTOMS,
AND ITS
HOMŒOPATHIC TREATMENT.

BY
A. M. CUSHING, M. D.

SECOND EDITION.

BOSTON:
ALFRED MUDGE & SON, PRINTERS,
34 SCHOOL STREET.
1882.

Copyright, 1882,
By A. M. CUSHING, M. D.



00013834

INTRODUCTORY.

THIS little work is a compilation from *all* the works at my command, interspersed with the clinical experience of sixteen years' practice. It is intended to save the busy practitioner many a weary hour of study, and to guide the beginner and student along the road to true Scientific Healing.

Study, learn, prescribe. If the low dilutions fail you, *don't be afraid to GO UP.*

The blank space after each remedy is left for additions or alterations, instead of blank interleaves. It is hoped that every physician who may possess this book will make all possible additions, and all necessary alterations, till finally it may become a very valuable work.

A. M. C.

PREFACE TO THE SECOND EDITION.

THIS work, at first written for my own use, was, by the advice of friends, given to the public. Encouraged by its speedy sale, and the kind expressions received from the profession, as well as the satisfactory results obtained by the administration of homœopathic remedies during a period of twenty-six years, I am induced to rewrite and enlarge it to twice its former size. Firmly believing that many cases of insanity or death, some by suicide, have been caused by the unwise and unscientific treatment of leucorrhœa, and satisfied that the internal administration of remedies, homœopathically indicated, is safer, surer, and more speedy, gives me courage to issue it at a time when the tendency to a different method of treatment seems to have the ascendancy. Select the right remedy, and in some attenuation it will cure.

A M C

LEUCORRHŒA.

Acid muriaticum.

LEUCORRHŒA, with *exceeding soreness of the anus*, either from piles or fissure. *She cannot bear the least touch upon the anus*, which often itches violently, and is not relieved by scratching. *Menses too early and profuse.* Frequent and profuse urination. Watery or bloody stools, with *violent burning and smarting in the rectum or anus*. Pain in lumbar region, with a tired sensation. Pain in coccyx. Easily excited; *peevish; fretful; angry.*

Acid nitricum.

Profuse, stringy leucorrhœa, consisting of mucus which can be drawn out; *greenish mucus; cherry-brown; fetid; flesh-colored; offensive; like brown water; after the menses*, or mercurial treatment. Fre-

quently ~~violent~~ *violent itching* of the genitals, always coming on towards evening, and when walking ; parts sore ; stitches in vagina, shooting upwards. Takes cold easily, which aggravates the symptoms. *Menses too early and profuse.* During menses, toothache. An ulcer on the vagina covered with yellow pus. Brown urine, which has a strong odor, and stains the linen brown. *Desire to urinate at night*, with cutting pain in the abdomen. *Nightly desire to urinate.* Painless suppression of urine ; fetid urine. *Hard, scanty stool ; long pressing at stool ; constant unsuccessful desire for stool ; bloody stool.* Epistaxis at night ; never in the daytime. Cannot sleep after two o'clock in the morning. She awakes suddenly from sleep, greatly startled by some imaginary frightful event. Pain in back and down the thighs. Burning pain in a small spot in the small of the back. *Excitable ; peevish. Tendency to start. Anxiety, day and night.* Easily vexed. *Despondent ; hopeless.* Ill-humored. Fancies she will die, though not sick.

Acid phosphoricum.

Profuse, yellow leucorrhœa. Thin, acrid, mucous leucorrhœa. *Leucorrhœa after the menses.* Menses

too late. *Desire to urinate*, with scanty emission. *Frequent urination*. *Frequent desire for stool*. *White gray diarrhœa*. Burning pain in the small of the back. Heaviness in the lumbar region increases to pain in the legs. Weak memory. Homesick. Sad. Hysteria in women of dark complexion during change of life.

Acid picricum.

Profuse, yellowish leucorrhœa. Pain in the left ovary; more in the evening. Great indifference. Lack of will power.

Acid sulphuricum.

Painless leucorrhœa. *Acrid, burning* leucorrhœa. Transparent, milk-like leucorrhœa; offensive odor. Bloody, corrosive mucus from the vagina. Genitals look green. *Menses too early*. Menses too late, with pain in the small of the back and abdomen. *Retention of urine* and stool. Stiffness of the back on rising in the morning. Heaviness of the head. Inclined to

weep. Irritable. Restless. Must do everything in a hurry.

Aconitum lycoctonum.

Viscid leucorrhœa. Menses fetid, producing excoriations at the bend of the thighs. Urine scanty, with turbid sediment. Nervous laughter.

Aconitum napellus.

Copious, tenacious, yellowish leucorrhœa, with much irritability of the system; fever; thirst; *vertigo* on rising up. Bloody leucorrhœa. Leucorrhœa relieved by cold washes, especially after rheumatism. Uterine hemorrhage. Menses profuse. *White, very offensive discharge after suppression of the menses.* Urine red. Stools watery-white. Numbness of back, with tingling sensation extending to fingers and toes. *Pains worse at night.* Nervous, restless, — body and mind. Predicts the day she shall die.

Æsculus hippocastanum.

Leucorrhœa, with lameness of the back across the sacroiliac articulations. Leucorrhœa, dark, yellow, thick, and sticky ; worse after the menses or walking ; corrodes the labia. Aching in the sacrum and knees. *Hot* urine, with brown sediment, or yellow urine, with white mucous sediment. Stools large, dry, with prolapsus ani, with pain extending from the back to the abdomen, with *burning piles*, tenesmus, and itching of the rectum. *The back gives out when walking only a little way.* Constant, dull pain in back, aggravated by motion, stooping, or walking. Constant dull pain in back. Low-spirited ; irritable.

Agnus castus.

Leucorrhœa scanty, but staining linen yellow. Transparent leucorrhœa passes imperceptibly. Genitals relaxed. Menses suppressed. Urine frequent, abundant, and dark color. Loose stools. Deficient milk in lying-in women. Sharp stitches in region of coccyx. Absent-minded ; low-spirited ; anxious ; tearful.

Aletris farinosa.

Leucorrhœa with debility, and great tendency to abortion. Premature and profuse menses.

Allium sativa.

Leucorrhœa, scanty discharge, with bright red spots on inside of labia, with itching and smarting. Menses too early, with excoriations on inside of thighs. Urine profuse, whitish. Constipation, with constant dull pain in bowels. Cutting pain in sacrum in the morning. Sadness. Weeping during sleep.

Aloes socrotrina.

Slimy leucorrhœa. White, mucous leucorrhœa. Menses too early; long lasting, with dragging down in rectum, and sense of fulness in the pelvis. Urine hot, burning. Diarrhœa. *Faint after stools. Piles.*

Burning piles." Constant desire for stool. Lassitude. *Disinclined to bodily or mental labor.*

Alumina.

Profuse, purulent, yellow, corroding leucorrhœa; worse before and after the menses. *Frequent acrid and profuse leucorrhœa. Discharge of flesh-colored liquids,* after the menses. Transparent mucous leucorrhœa, *running down to the heels in large quantities; only in the daytime.* The discharge causes itching of the vulva. Burning in the genitals, and more particularly *in the rectum.* Leucorrhœa in the afternoon and night. Leucorrhœa relieved by cold washes. Menses scanty and pale, too early, and too short. Urine scanty, with white or red sediment. Cannot urinate without straining. Inability to pass urine except at stool. Want of action of the rectum, requiring much straining. *Diarrhœa,* attended *with much tenesmus.* Difficulty in swallowing; can swallow only small pieces. Everything tasteless, or has a flat taste. Most of the symptoms worse in a sitting posture; relieved by walking, or washing with cold water. Pain, as of a hot iron, in the lumbar vertebra. Depressed; uneasy; weeping; changeable; stupid.

Ambra grisa.

Leucorrhœa only at night. Bluish-white mucous leucorrhœa. Discharge of thick mucus, preceded by stitches in the vagina. Leucorrhœa at night, of bluish-white mucus. Discharge of blood between the periods, at every little accident, as after a hard stool, or a longer walk than usual. Uterine symptoms worse by lying down. Parts itch ; must rub them. Menses too early. Increased, turbid urine. Constipation. Painful tension in lumbar vertebra. Confused ; excited. Talking fatigues her.

Ammonium carbonicum.

Violent, acrid leucorrhœa. At times a burning, watery discharge from the uterus. Particularly indicated if the discharge *smells of ammonia*. Also for *sickly, weak, delicate females*, who are *constantly resorting to the "smelling-bottle,"* and who say it does them good. Right side affected more than the left. Swelling and violent itching of the pudendum. Menses too early, copious ; more at night ; profuse and black, sometimes preceded by colic. Frequent urination, with sandy or white sediment. Painful, bloody diarrhœa,

followed by long, lasting pains. Piles. Burning at the anus prevents sleep. Almost always has headache after walking in the open air. Sleepy and heavy during the day. Sleeps badly unless she retires early; *the later she retires the greater difficulty she has in getting to sleep.* Symptoms aggravated in the open air, and evening. *She does not wish to talk, or to have others talk to her. Violent pressure of urine upon the bladder. Several emissions of urine at night, some of them copious. Retarded and hard stool.* Pain in back in the daytime and at rest, better by walking. Very lively or greatly depressed.

Ammonium muriaticum.

Leucorrhœa like the *white of an egg*, preceded by pain around the navel. Brown, slimy leucorrhœa after discharge of urine. Leucorrhœa with distension of the abdomen. *Menses appear two days too soon*, with pain in the bowels and small of the back. Inclination to urinate at four o'clock A. M. *Several loose stools during the day.* Pain around the navel preceding the usual stool. Pain in the small of the back during

rest, or in motion, at night in bed, so she could not lie on back or side. Inclined to weep. Irritable.

Anacardium.

Leucorrhœa, causing itching with soreness of the parts. Constant desire to urinate. Frequent urging to stool, without being able to expel anything. Painful stiffness in back on rising from a rest, relieved by bending. Apprehensive; suspicious; angry; despair; great loss of memory.

Anathereum.

Leucorrhœa watery, clear, white, offensive. Thick, purulent, green, or yellow leucorrhœa; worse after the menses. Genitals itch or are inflamed; worse in the afternoon. The os uteri is swollen. Back stiff and weak. Sad. Sheds tears easily. Hallucinations.

Antimonium crudum.

Discharge of acrid water from the vagina, which causes a biting sensation down the thighs. Watery, lumpy leucorrhœa. Pressure of womb as if something would come out. Menses too early, profuse, suddenly cease. Frequent, profuse urination at night, with a mucous discharge from the vagina. Frequent, violent desire to urinate, at times emitting large quantities, at others but little. *Watery* diarrhœa; mucous; in the morning; worse from anything sour. *All the symptoms worse by washing with cold water.* Pain in back worse after sitting, better by walking. *Does not* want to talk, or hear others talk, or be looked at.

Antimonium tartaricum.

Leucorrhœa bloody, watery, coming on in paroxysms; worse sitting down; for two days only. Menses too early, scanty, and last but two days. Urine turbid, brownish-red, with strong odor. *Burning in urethra when urinating;* scanty, last drops bloody. *Offensive diarrhœa,* with violent colic. Abdomen does not feel hard to touch, but feels as if it were

packed full of stones. Out of humor. Everything goes wrong. Furious delirium. Talks to herself. Anxiety, increased by nausea.

Apis.

Profuse, acrid, green leucorrhœa. Mucous discharge. Right ovary sore and painful; worse during menses. Stinging, darting pains in right ovary, with distress in stomach, and cough. Tendency to miscarriage. Menses delayed, with constant sensation as though they had appeared. Urine scanty, with dropsy, without thirst. Urine may be profuse. Painful diarrhœa, *worse by moving*. Burning in coccyx, worse sitting. Excitable. Laughs and cries. Premonition of death.

Argentum nitricum.

Leucorrhœa copious, green, corroding. Mucous leucorrhœa. Soreness of the vagina. Menses too

early, profuse, long lasting. Always thick, dark, coagulated, with headache. *Emission of a few drops of urine after urinating*, with a sensation as if the interior of the urethra were swollen. Stool greenish; very fetid mucus, with emission of noisy flatulence. Pelvic bones seem loose. Sense of weight in sacrum and coccyx, better standing; worse sitting. Pain in back, worse on rising from a seat; better walking. Imbecile appearance. Fearful to undertake anything lest they fail.

Arnica montana.

Leucorrhœa after injuries, as confinement, polypi, hydatids, etc. Tenesmus of the neck of the bladder. Brown urine, with brick-dust sediment. Frequent small stools, consisting only of slime. Pains in sacrum, as from rising from long stooping. Indifference to everything. Sensitive. Hypochondriac anxiety. She does not speak a word. Forgetful.

Arsenicum album.

Acrid, corrosive, thick, *yellow* leucorrhœa. Leucorrhœa *whilst standing* and *emitting flatulence*. Leucorrhœa at the time of the menses. Leucorrhœa after the menses. Bloody mucus after the menses. Sudden, profuse discharge of dark blood after the menses. Various forms of leucorrhœa in women who are pale, with white, waxy appearance of the skin. They are *very weak*, so that a *slight effort fatigues them*. They sleep badly, and have tiring dreams, — in their dreams everything “goes wrong.” This worries and tires them so, they awaken more fatigued and unrefreshed than when they retired. They are of a “*chilly*” nature, and require much clothing; dread of drinking cold water, because it *remains cold in the stomach*. *Menses too early and profuse*. Frequent urging to urinate. *Involuntary* urination, even at night during sleep. Urine scanty or increased. Urine dark yellow or colorless. Constipation. Diarrhœa, with burning and tenesmus during stool. Better when lying down. Worse when walking. Back weak. Bruised pain in the back. Stiffness in the spinal column, beginning in the coccyx. Anguish. Mania. Delirium. Restless; worse at night. Despondent. Sad. Weeping. Imagines she must die. Dread of death. Sensitive. Angry.

Aurum metallicum.

Thick, white leucorrhœa. Profuse leucorrhœa, which excoriates the perineum and inner side of the thighs, with vesicular eruption on the parts and back. Labor-like pains in the abdomen, as if the menses would appear. Burning in the vagina. Heat, smarting, and pricking in the vulva. Menses late. Painful retention of urine, with pressure in the bladder. Passes more urine than corresponds to the amount of liquid drunk. Constipation. Nightly diarrhœa, with burning in the rectum. Lumbar muscles so stiff she cannot raise the thighs. Bruised pain in the loins ; worse during respiration. *Disgust for life.* Suicidal tendency. Despondent. *Melancholy.* *Great anguish.* *Pecvish.* *Vehement.* *Angry.*

Aurum muriaticum.

Profuse leucorrhœa ; worse in the morning. Acrid leucorrhœa. Light yellow leucorrhœa. Itching in the vagina. Burning and itching of the vulva. Constant discharge from the vagina. Menses early, profuse,

acid. Frequent urination. Loose stool, with piles. Cheerful, or sadness, with weeping.

Aurum sulphuricum.

Thick, yellow leucorrhœa ; worse in the morning. Uterus sensitive. Redness and swelling of the vulva. Heaviness in the genitals. Urine thick and yellow, or red, with sandy sediment. Constipation. Desire for solitude. Gloomy, disgust for life.

Arundo muritanica.

Leucorrhœa with pains in uterus. Pricking pains in vulva. Menses too early, and *too profuse*. Urine red, with much sandy sediment. Stool green, hard. Burning piles.

Baptisia tinctoria.

Acrid, fetid leucorrhœa. Virulent leucorrhœa, with frequent miscarriages. Ulceration of the os uteri and

vagina. Debilitated state of the system. Menses too early and profuse. Urine increased ; high color, and acid ; dark color, and not very profuse. Costive. Loose, mushy stools. Back aches ; worse while walking. Lumbar muscles and hips stiff and ache ; worse while walking. Mind weak ; cannot think or meditate.

Baryta carbonica.

Leucorrhœa before the menses. *Sanguinolent* mucous leucorrhœa, with palpitation of the heart, pain in the back, and weakness unto fainting. Moisture and soreness between the thighs. Before menses, toothache. *Scanty menses*. Profuse menses. Frequent urination. Loose stools at short intervals, with pain in lumbar region, with chills over the head and legs. Pain in the small of the back ; worse in the evening ; can neither rise nor bend backwards. Forgetfulness. Irresolute.

Belladonna.

White, mucous leucorrhœa with colic. Leucorrhœa with colic ; at times alternating with metorrhagia.

Great heat and dryness of the vagina. *Pressing or bearing down, early in the morning, as if everything would issue through the genitals.* Increase of leucorrhœa at every paroxysm. The attacks are most frequent in the morning. Pains come suddenly, and go as suddenly as they come. Menses too early, *profuse, bright red.* The urine is yellow, and stains the linen like saffron water. Retention of the urine. Frequent desire to urinate. Stools white, or green, with *shuddering during stool.* *Burning in ovarian region.* *Right ovary painful and swollen.* Back aches as if broken. Bearing down into sacrum. She does not sleep well, but lies in a half-waking condition throughout the night. *Dreams before she is fairly asleep.* Noise and bright light affect her. Headache in the sinciput, affecting the eyeballs, so that they feel tired as if strained. *Stupid. Violent rage. Fury. Angry. Mania.* Delirium. Many and severe mental affections.

Berberis vulgaris.

Acrid leucorrhœa, very prostrating. *Grayish, mucous leucorrhœa.* Smarting and burning in the vagina

and anus. Vagina sore and painful. *Menses scanty. Great urinary troubles.* Painful urinating. *Bloody mucus in urine; mucous, mealy, grayish-white sediment.* Cutting pains in lumbar region, *darting in every direction.* Burning in rectum, with long-continued desire for stool, continuing after stool. Back aches; worse lying or sitting; worse in the morning. Rises from a seat with difficulty. Loss of consciousness.

Bondoneau.

Mucous or serous leucorrhœa, preceded by heat in the vagina. Menses delayed. Gloomy. Irritable.

Borax veneta.

White, *albuminous* leucorrhœa, *like the white of an egg.* Corrosive leucorrhœa; also like starch. Acrid, white mucous leucorrhœa, without any other ailment, a fortnight after the menses. Leucorrhœa white and thick as paste. Sensation as *if warm water were run-*

ning down the thighs. Menses too soon and profuse, attended with colic. Beating in the head and buzzing in the ears, *during menses.* *Violent, instantaneous desire to urinate.* *Soft, light yellow, slimy stools, three a day,* with weakness and fainting. Pain in the back, when walking, sitting, or stooping. She is nervous, easily started, *cannot bear a downward movement,* like going down stairs or riding on horseback. Probably the correct symptom would be, *cannot bear any elevated position.* Fretful. Ill-humor. Changeable.

Bovista.

Leucorrhœa like the white of an egg, coming away whilst walking; it may be yellowish, green and corrosive, *thick,* tenacious, *slimy.* Leucorrhœa before or *after the menses.* Profuse leucorrhœa when walking. Slight show between the periods. Burning in the genitals. Soreness between the labia and thighs: Menses retarded and scanty, or too early and profuse, particularly in the morning. Frequent desire to urinate, even immediately after urinating, with emission of a few drops. Morning diarrhœa, with *urging* pains; and after stool, *burning* and itching in the

anus, as if worms were crawling. *Intolerance of tight clothing around the waist.* Stiffness in the back when stooping; has to straighten up to be relieved. Talkative. Sensitive. Absent-minded.

Bromine.

Leucorrhœa constantly increasing. Loud passage of wind from the vagina. Swelling of ovarian region. Pain in right ovary, extending down the thighs when at rest. Swelling of left labia. Menses too early. Headache with menses. Constant desire to urinate with dribbling of urine, with whitish or dark sediment. Diarrhœa of black fæces. Blind, painful piles. Pain in back, unchanged by motion. Quarrelsome. Fretful. Desire for mental labor, then disinclined to study.

Bryonia.

Leucorrhœa, with pain and soreness in the right ovary, extending down the leg. Worse at rest.

Swelling of the left labia. Menses too early, profuse, dark. Menses suppressed, with delirium. Urine scanty, dark brown. Stools large, hard, and dry as if burnt. Pain in back, as if bruised, when lying upon it. Worse by movement. *Delirium, worse at night, or in the morning. Weeping. Despondent. Anxious. Apprehensive.* Ill-humor.

Bufo.

Leucorrhœa clear as water ; no smell nor itching. Purulent and very offensive leucorrhœa. Leucorrhœa before and after the menses. It may be yellow, white or clear, thick like cream, or washings of meat. Leucorrhœa in the evening. Discharge of blood between the menses. Menses too early and profuse. During menses, headache and chills. Clotted menses. Liability to abortion. Urine profuse, or scanty and strong odor. Burning, offensive stools.

Calcareæ acetica.

Leucorrhœa with itching of pudenda. Discharge of blood in old women. Increasing leucorrhœa.

Calcareæ carbonica.

Leucorrhœa like mucus, or *like milk*. Leucorrhœa *profuse at times*; at intervals; when urinating; before the menses; after lifting. Whitish, burning, corrosive. Leucorrhœa *of young girls*, or at the climacteric period. Leucorrhœa *of fat, light-complexioned females*. Leucorrhœa, with heat and itching of the vulva. *Menses too early and profuse*; weak feeling in chest, especially when talking; weakness in the knees, emaciation. Sensation of the feet as though she had *on cold, damp stockings*. Vertigo, on going up-stairs. Unable to sleep after three o'clock in the morning. *Very sensitive to cold air*; "chilled through" at every exposure. *Menses every three weeks*. *During the menses*, vertigo, rush of blood to the head and heat in the head. *Frequent micturition at night*. *Fetid, dark brown urine*, with a white sediment. Constipation. *Undigested stool*, rather loose. Pricking,

burning, or violent itching in the rectum. Pain in back, as if wrenched; can scarcely rise from a seat. Disinclined to labor of any kind. Anxiety; despondent. *She fears she will lose her reason, and that others will notice it.*

Calcareæ phosphoricæ.

Leucorrhœa like cream, or the white of an egg; day or night; worse on moving; two weeks after the menses, or continuous. Leucorrhœa increasing as the menses decrease. Prolapsus uteri, worse during stool or urination; worse during menses. Drawing from left to right, and down into the thighs. Pulsations in genitals. Menses too early and scanty, or too late and too dark. *Weakness and distress in uterine region and uterine displacements, aggravated by passage of urine or stool.* Swelling of external genitals and vagina in the morning. Urine profuse and dark, with pain in bladder and surrounding parts. Stool loose, green, and slimy, soft, passed with difficulty, accompanied by headache. Violent stitch in a small spot between left ileum and sacrum; worse by motion.

Forgetfulness. Worse from bodily motion; better from cold washing.

Cannabis sativa.

Leucorrhœa before the menses. Leucorrhœa after coition; menses profuse; urination painful; stool scanty. Sadness. Oppressed feeling in the stomach and chest, with palpitation. Nervous.

Cantharis.

Leucorrhœa acrid, burning, thick, bloody mucus. Swelling of the neck of the womb, vagina, and vulva. Pruritis. *Menses too early and profuse.* Discharge of bloody mucus after menses, and while urinating. Urine scanty, *discharged in small quantities, even in drops.* Severe burning pain during and after urination. Bloody urine. Stools consisting of blood, or bloody mucus, *looking like the scrapings from the bowels.* Cutting or burning in the anus. Con-

stipation ; deep-seated headache, which causes a *scowl*. Tearing pain in the back, with urinary troubles. Severe lancinating pain in coccyx. Delirium ; furious delirium, with constant talking. Insolent and contradictory ; worse in the afternoon.

Carbo animalis.

Yellow, burning or biting, offensive leucorrhœa, with weak feeling in the stomach. *Watery* leucorrhœa, particularly when walking or standing ; *stains linen yellow*. Menses profuse ; menses too early, only four days long, preceded by headache. Menses flow only in the morning. Urine increased ; almost involuntary by slight pressure over the region of the bladder. Yellowish urine, with turbid sediment. Stool scanty and delayed for several days. Pains in small of back during stool. Violent, burning stitches in the rectum, with distended varices ; worse while walking. Small of the back lame, as if broken ; sensitive to every step ; worse sitting or lying. Burning pain in coccyx. Sad. *Desire to be alone*. *Weeping* ; homesick. Avoids conversation. Anxiety ; worse at night.

Carbo vegetabilis.

Profuse leucorrhœa early in the morning, when rising, and none during the day. *Milk-colored leucorrhœa, excoriating the parts*; it may be thick, yellow, or white. Leucorrhœa before the menses. Leucorrhœa after urinating. Bloody mucus from the vagina. Menses too early, profuse, pale, or thick, corrosive. Menses thick and of very strong odor. During menses pain in the head, back, and bowels. Itching in pudendum and anus, with soreness and rawness. Itching of mons veneris. *Great desire to urinate*; the urine passes slowly. Dark red urine, as if mixed with blood. Constipation. Discharge of blood with hard stool. Annoying itching, extending to the anus. She is greatly troubled with flatulence, and an *evacuation of "wind" upwards or downwards affords much relief*. After eating she feels as if she *would "burst,"* partly relieved by eructation of gas. Severe pain in small of back; has to put pillows under it; unable to sit. Irritable; does not enjoy anything, even music, of which she is very fond. Jovial; but ill-humored. Anxiety. *Peevish. Indifferent; worse at night.* Want of memory.

Carlsbad.

• Profuse leucorrhœa, after the menses, with burning and smarting. Menses too early, long-lasting, dark, with strong odor. Painful menstruation. Urine profuse with frequent urging. Stools soft, pappy. Pain in small of back, with lassitude. Tensive, pressing pains in back and genitals. *Very excited; peevish; affected by trifles, with flashes of heat all over.* Talkative; good-humored. *In the morning peevish, which continues all day. Absence of mind.*

Castoreum.

Thick leucorrhœa; watery, burning. Menses *increased*. Premature menses. Diminished urine. Hard stool, with burning at the anus. *Bloody mucous stool.* Pain in back as if beaten. Sad and tearful. •

Caulophyllum.

Profuse, mucous leucorrhœa. Profuse menses; vagina sensitive, painful. Menses too soon, painful.

Menstrual colic, with pain in back. Profuse straw-colored urine. Urgent desire for stool at one o'clock A. M., with copious stool. "Moth patches." Dull pain in back as if beaten.

Causticum.

Profuse leucorrhœa, escaping the same way and smelling the same as the menstrual blood; only at night, or worse then. Weakening leucorrhœa, with scanty menses. Leucorrhœa particularly at night. Offensive menses. Scanty menses. Menses too early or too late; no flow at night. Cramps in bowels. Colic *without diarrhœa at the appearance of the menses*; during menses *pain in the back*. Clotted menses. *Frequent urging to urinate. Light-colored urine, like water.* Burning in the urethra while urinating. *After urinating smarting in the pudendum as from salt.* *Frequent unsuccessful desire for stool.* She has a sickly look, a yellow face, and drooping eyelids; is obliged to make an effort to keep them up. Stiffness of the back, especially when rising from a seat. Stitches in the back. Bruised pain in the coccyx. *Melancholy,*

especially before menstruation. Sleepless. Apprehensive; despondent; peevish; fretful.

Cedron.

Leucorrhœa in the morning, with swollen breasts. Gloomy. Dulness of sensés.

Centaurea tagna.

White leucorrhœa, with heat and itching of the labiæ, internal and external. Homesick; changeable mood; stupid.

Chamomilla.

Acrid, watery leucorrhœa; worse after dinner. Yellowish, smarting leucorrhœa, particularly after eating. Discharge of blood between the regular periods.

Corrosive leucorrhœa. Menses too early, too profuse, and offensive. Menses clotted ; membranous. *Involuntary* urination. *Profuse, colorless urine. Green, watery stools.* Back feels bruised ; worse at night. Labor-like pains. At night, it seems as if she hears voices of absent persons. Moaning over past occurrences, though trifling. Irritable ; peevish ; sleepless ; being unable to sleep.

Cheledonium.

Slimy leucorrhœa, staining linen yellow. Leucorrhœa after the menses ; tenacious, slimy, whitish ; profuse in the daytime. Violent burning in the vagina. Menses too late, profuse and painful. Urine turbid, brown, lemon-colored, *foaming when passed.* Constipation. Copious, bright, liquid, yellow stools, with much mucus, without pain. Pain, as if lower lumbar vertebra would separate. *Pain in region of stomach and liver, extending to right shoulder, with dyspeptic symptoms. Lively, despite unpleasant surroundings. Serenity of mind.* Anxiety.

China officinalis.

Leucorrhœa instead of the menses, with itching. Leucorrhœa before the menses. Painful pressure towards the groin and anus. *Discharge of blood*, with occasional clots of fetid purulent matter, with itching and spasmodic contraction of the inner parts. Debility from loss of blood. Menses profuse or suppressed. Menses profuse, too early; black clots. Frequent urination. *Scanty urine*, greenish yellow or dark colored, with *brick-dust sediment*. Hard, costive stools. Loose, watery, yellow stools. Indicated after loss of any fluids. The abdomen is often distended with flatus, and feels as if it were packed full of wind, but the escape of flatus in either direction *gives no relief*. Cannot sleep, on account of *a great number of ideas crowding through the mind*. Mind constantly changing from one thing to another, especially at night. *Excessive excitability*. *Sad; discouraged; anxious; discontented; unhappy*.

Chininum sulphuricum.

Leucorrhœa mixed with blood. Excited. Despondent. *Feeling of impending evil.* Aversion to difficult mental or bodily labor.

Cimicifuga racemosa.

Leucorrhœa of long standing, with sensation of weight in uterus. Leucorrhœa of hysterical females, with rheumatic or neuralgic pains. Leucorrhœa with inflamed and congested uterus, of long standing. Vagina sore. Profuse, early, dark, scanty, coagulated menses, with bearing-down pains. Suppressed menses. Urine clear or profuse. Alternate constipation and diarrhœa. *Severe bearing-down pain extending from the back down the thighs.* Miserable dejected feeling. *Unable to fix the mind upon anything.*

Cinnabar.

Leucorrhœa causing a pressing in the vagina. Leucorrhœa accompanied by pressure in the vagina. Frequent and increased emission of watery urine; also during the night. Soft, scanty stools twice a day. Pain before stool; less after. Illusions of mind. Feeling of exhilaration.

Cocculus indicus.

Leucorrhœa resembling serum, mixed with a purulent ichorous liquid. Leucorrhœa like the washings of meat, with colic and flatulency. Discharge of sanguineous mucus during pregnancy. Leucorrhœa instead of the menses, or between the periods. Leucorrhœa gushing out on *bending or squatting down*. Distension of the abdomen and pain as of a heavy stone; pain internally on motion. Menses scanty and irregular. The menses become more and more scanty, till they finally disappear; but the leucorrhœa is constant. She has a great deal of pain in the back, as if the menses were coming on. Suppression of the menses, with spasms in the abdomen and chest.

Painful menstruation. Urine scanty, with frequent desire to urinate. Constipation. After stool violent tenesmus, even unto fainting. Soft, loose stools; sometimes yellow, and burning in the rectum. Clouded, confused feeling in the head, with aching pain in the forehead. Vertigo. Drawing pain in small of back. Paralytic pain in small of back and hips, which prevents walking. *Mania*. Inclined to sing. *Discouraged; sad thoughts; anxiety, as if she had committed a great crime.* Sensitive mood. Forgetful; stupid.

Coccus cacti.

Leucorrhœa consisting of mucus, preceded by drawing, thrusting pain in the inguinal and pubic regions. Bruised pain in the left sacro-iliac region in the morning. Apprehensive. Ill-humor. Fretful.

Coffea cruda.

Leucorrhœa like mucus, or milky; more when urinating. Profuse discharge of mucus from the vagina,

with frequent discharge of blood ; itching and excitement of the parts. Voluptuous itching of the vulva ; the parts too sensitive to rub or scratch. Violent itching of the vulva. Pressure on the bladder. The urine passes off drop by drop. Diarrhœa. Severe pain in the small of the back when sitting or standing. Lively fancies. Full of plans for the future. Great excitement of the mind. *Sleepless. No inclination to sleep.*

Collinsonia.

Leucorrhœa in connection with *pruritis vulva*. Painful menses. *Obstinate* constipation and dysmenorrhœa.

Conium maculatum.

White, acrid, *burning, smarting, corroding* leucorrhœa. *Thick, milky* leucorrhœa. Labor-like colic from both sides of the abdomen. *Profuse leucorrhœa*. Bloody mucus instead of leucorrhœa. Before the

leucorrhœa, *pinching colic* and lameness of the small of the back. After the leucorrhœa, *lassitude*, hoarseness, with cough and expectoration. Leucorrhœa ten days after the menses; stopping suddenly, and soon flowing again. Suitable to old maids. Suppression of the menses. Menses appear on the seventeenth day. During menses breasts *sore and painful*. *Stinging in the neck of the uterus*. Strangury. The flow of *urine intermits*. Frequent urination; the urine intermits. Constipation. Hard and scanty stools, with frequent ineffectual effort at stool. Undigested stool. Discharge of blood with stool. Headache. *Vertigo*, particularly on *turning in bed*. The patient is of a rigid fibre, and easily excited; is what is called "tight build." Stitches in the back when sitting. *Delirium*. Lively excitement. Hysterical. Ill-humor. *Fretful*. *Peevish*. *Angry*. *Abusive*. *Mental debility*. Dull. Stupid. Loss of memory.

Copaiva.

Acrid leucorrhœa, causing excoriation of the vulva. Milky leucorrhœa. Leucorrhœa after the menses. Burning, red spots on the vulva. Menses too late,

pale, and scanty. Burning in the neck of the bladder and urethra. Sadness during the menses. Weeping. Difficult memory, with inability to study.

Orocus sativus.

Leucorrhœa accompanied by paroxysms of acute stitches from the pudenda to the right thigh, as if a knife were thrust into those parts every now and then suddenly, gradually penetrating into the parts, and with increasing pain. Sensation as if the menses would appear, with colic and dragging down in the pudenda, in a few hours. Menses regular, but profuse, long-lasting, dark, clotted, stringy. Menstrual flow during full moon. Intolerable writhing in the anus, affecting the whole nervous system painfully. Changeable. *Inclined to sing, then laugh at herself, Deep melancholy.* Sad. Ill-humor. Anger. Peevish. *Quarrelsome; then lively.* Talkative. Singing or *laughing.*

Cubeba.

Copious, yellow, green, very acrid, and very offensive leucorrhœa. Vagina inflamed and hot. Leucorrhœa instead of the menses. Before and after the menses uterus swollen and painful. Menses sometimes too early, but generally too late. During menses cough, angina, otalgia, borborygmi, intestinal or uterine colic. Urine bloody. Constipation, with swelling of the anus. Diarrhœa, with colic. Weakness of mind. Loss of memory. Angry. Impatient.

Curare.

Leucorrhœa thick, scanty, purulent, clotted, offensive, acrid ; causing smarting of the vulva and vagina. Inflammation of the womb, with swelling ; burning, pricking pains. Pains in ovaries. Menses generally too soon, scanty, and short duration ; may be late. Before menses, burning in womb ; during menses, headache ; worse in occiput ; hair turns white. Urine thick, scanty ; passed with difficulty. Stools loose, offensive. Insanity. Inclined to suicide. Wicked disposition.

Cyclamen.

Membranous leucorrhœa. Menses too soon, profuse, black, or suppressed, or scanty and painful, preceded by melancholy and heaviness of the feet. After menses, breasts swollen with milky secretion. Stitches in right kidney. Ill-humor. Morose. Easily offended. *Disinclination for any kind of work.* Forgetful.

Derris pinnata.

Leucorrhœa. Menses every fortnight, with cramps. Swelling of the uterus. Uterus feels as if it would issue from the vagina. Urine discharged by drops. Piles. Desires death. Suicidal. Weeps and sings alternately.

Drosera.

Leucorrhœa, with colic-like labor pains during the suppression of the menses. Suppression of the

menses. Menses too late, scanty, dark. *Frequent desire to urinate, with scanty urine, frequently only a few drops.* Loose, papescent stool. Stitches from spine to left ileum when sitting. Bruised pain on moving. Depressed. Discouraged; *solicitous about the future.* Uneasy. Mind very changeable.

Elaps corallium.

White, albuminous leucorrhœa. Discharge of black blood at intermenstrual periods. Violent itching of vagina. Fanciful. Depressed. Peevish.

Eupatorium purpureum.

Leucorrhœa white, profuse; does not stain the linen. External genitals feel as if wet. Neuralgic pains from below upwards on left side. Labor-like pains. Homesick when at home. Depressed. Delirious.

Eupion.

Leucorrhœa after the menses, staining the linen yellow; with debility and emaciation. Leucorrhœa with pain in back. Gushes out. Has pain in forehead. Copious leucorrhœa. Better in the evening. Leucorrhœa before the menses, or the menses appear a few days too soon. Profuse, thin, watery menses. Scanty menses. Desire to urinate when standing; better when sitting. Cheerful. Irritable. Angry.

Fagopyrum.

Leucorrhœa slight, bloody, staining linen slightly; more when at rest. Prurites accompanies the leucorrhœa. Menses too early or too late. Urine profuse; last drops passed with difficulty. Stools loose. Mind changeable.

Ferrum aceticum.

Leucorrhœa like watery milk, and corroding when first appearing. Leucorrhœa before the menses.

Smarting and induration of the vagina. Menses delayed. Involuntary urination in the daytime. *Frequent diarrhæic stools.*

Ferrum metallicum.

Leucorrhœa white, thin, milky, or itching ; in delicate women, with red face. Menses profuse. Pro-lapsus of the vagina only during pregnancy. Menses too late, too long, lumpy. *Excitable. Irritable*, or depressed. Anxiety from slight causes, with throbbing in the pit of the stomach.

Gambogia.

Leucorrhœa, with profuse, long-lasting menses. Gnawing in the coccyx.

Gelsemium.

White leucorrhœa. Feeling of fulness in the hypogastrium ; aching across the sacrum. Menses de-

layed. Menses painful. Urine increased and clear. Loose, papescent stool. *Inability to swallow or speak.* Dull pain in lumbar-region; cannot walk. Dulness of mind. Inability to think. The face is dark red, — “mahogany” color.

Granatum.

Yellowish leucorrhœa. Prolapsus of the vagina. Menses too short and profuse, with colic and pressing from the small of the back to the groin. Cutting, stinging, and gnawing in the urethra. *Tenesmus.* *Frequent* diarrhœic stools. *Itching and intolerable tingling in the rectum.* Pain in back, with *weakness in legs, especially when walking.* Easily excited. Forgetful.

Graphites.

Profuse leucorrhœa, *perfectly white*, especially on rising from bed in the morning; *weakness of back*

when sitting or walking. Thin, light-colored leucorrhœa, with distension of the abdomen; *painful pressing towards the pudendum.* The discharge occurs in gushes, day or night. Leucorrhœa before the menses. Excoriations of vagina. Menses scanty and delaying. Menses suppressed, with *weight in the anus and legs.* *Eruption during menses.* Itching of pudenda a few days before the menses. Turbid urine. Frequent micturition. Nightly desire to urinate. Difficult stool; stool frequently involuntary; stool size of lumbicus. White mucus with stool. Constipation. Itching of anus. Burning hemorrhoids. Drowsy during the day; sleepless at night. Weakness in back on walking; back aches. Numb pain from sacrum down the legs. *Easily excited. Sadness. Despondent;* was obliged to weep. *Easily grieved.* Gloomy. *Apprehensive. Fear of approaching death.* Absent-minded.

Guarea.

Fetid leucorrhœa. Leucorrhœa after the menses. Weak back. Mental anxiety. Indifference. Weak memory. Fear of losing her reason.

Guaiacum.

Increasing leucorrhœa. *Frequent and urgent desire to urinate*, even directly after urinating. Constipation. Soft stool, *in pieces*. Thin mucous stool. Fretful. Obstinate. *Weakness of memory*.

Hamamelis.

Profuse discharges, which simulate a hemorrhage, and constitute a drain upon the system as severe as a loss of blood. Vaginitis. Pruritis. Scanty, high-colored urine. Constipation. Painful varices, with discharge of dark-colored blood. Tearing pains across the small of the back. Back feels as if it would break. Gloomy; depressed; stupid.

Hedeoma.

Yellow, excoriating leucorrhœa, with itching and burning. Suppression of urine; tenesmus; painful urination, with very dark urine.

Helonias.

Leucorrhœa, with *great prolapsus uteri; the os uteri protrudes externally*. Leucorrhœa with anæmia. Painful, serous leucorrhœa. Labia and pudendum hot, red, swollen, burning, and itching terribly. Every morning epidermis falls off in thin, transparent exfoliations. Mucous surface of labia red, swollen, covered with curdy deposit like apthæ. Aching pain in sacrum down into each buttock. Pain in back and sacrum through to uterus; worse at night. Sad. General feeling of *malaise*. Depressed.

Hepar sulfuris calcareum.

Leucorrhœa with *smarting of the vulva*. Menses *delayed ten days*. Discharge of blood between the menstrual periods. Hemorrhage from the uterus. Frequent desire to urinate. *Urine dark yellow*. Diarrhœa with colic. Burning during stool. Creeping in the rectum. Bruised sensation in the small of the back and thighs. Frightful imaginings. Fright during sleep.

Hura Brasil.

Leucorrhœa. Scanty leucorrhœa. Leucorrhœa with profuse menses. Excited and oppressed. Nervous; sad; melancholy.

Hydrastin.

Mucous leucorrhœa, ropy, thick, yellow; hanging in long viscid strings from the os uteri. Tenacious leucorrhœa. Pruritis, with profuse leucorrhœa. Prolapsus uteri. Sexual excitement. Urine increased; frequent desire to urinate. Diarrhœa; green stools; light-colored stools. Tired aching across the small of the back and limbs. Bright; active; cheerful.

Hydrocotyl.

Profuse leucorrhœa. Redness of the os uteri. Heat and redness of external portions of vagina and vulva. Uterus feels heavy. Gayety. Gloomy thoughts.

Hydrophobinum.

Slimy leucorrhœa. Pains shooting from uterus to breasts. Bearing-down sensation. Menses too early.

Hypericum.

Leucorrhœa milky, corrosive. Leucorrhœa in a child. Leucorrhœa with delayed menses, and palpitation of the heart. Leucorrhœa, with profuse menses; cold feet and acute sensibilities. The menses delay a fortnight. Nightly urging to urinate, with vertigo almost amounting to syncope. Hard stool. *Violent* tenesmus. Stitches in small of back. Back lame and painful. Excited; depressed; exhausted.

Ignatia.

Chronic leucorrhœa, with excited sexual desire. Violent labor-like pains, followed by a purulent, corrosive leucorrhœa. Menses scanty and delayed. Menses too soon, scanty or profuse. Menses black-

putrid, in clots. *Frequent emission of watery urine.* Constipation. Constipation from taking cold. Mucous stool. Sharp, painful pressure in the rectum after stool. Pain in sacrum, worse lying on the back, and in the morning. Mild dispositions, who bear sufferings, even outrages, without complaining. Keeps her troubles to herself. *Anxiety, as if she had committed some crime. Easily frightened; easily excited.* Gloomy; reticent; conscientious.

Imponderabilia (Electricity).

Leucorrhœa, first thin, then thick, with coagula the size of a hazel-nut. Frequent micturition. Black, yellow, liquid stools, having a fetid smell. Violent pressing in the anus during menses.

Iodium.

Chronic leucorrhœa, most abundant at the time of the menses, rendering the thighs sore and *corroding the*

linen. The linen is full of holes. Thin, yellow leucorrhœa in scrofulous females, with induration and swelling of the os uteri, and engorgement of the vagina. The patient is very weak, and much exhausted, "put out of breath" by ascending stairs. Irregular menses; delay eight days, with vertigo and palpitation of the heart. Menses *premature* and *copious*. *Obstinate retention of urine.* Dark, turbid, sometimes milky urine. Constipation. Hard stool, knotty, dark colored. Alternate diarrhœa and constipation. Copious discharge of *watery*, foamish, white mucus, or thick, bloody mucus. Stitches in small of back. Pain in sacrum and coccyx. Sad. *Confused, with aversion to earnest work.*

Kali bichromicum.

Leucorrhœa, which is tough, *ropy*, and may be drawn out in long strings. Yellow, stiff leucorrhœa, with pain and weakness across the small of the back, and dull, heavy pain in the hypogastrium; soreness and rawness in the vagina. Menses too soon, with vertigo and nausea, feverishness and headache. Urine red, with pain across the back. Habitual constipation.

Constipation occurring every three months. Shooting pains through the bowels. Pains in the coccyx, worse from walking or touch, and on rising from long sitting. Gloomy; discouraged; peevish; sad.

Kali carbonicum.

Yellowish leucorrhœa, with itching and burning of the vulva and pudendum. Mucous leucorrhœa. *Menses too early*, scanty. *Suppression of the menses*, with dropsy. Acrid menses, pungent odor, covering the thighs with eruption. Before the menses, chilliness; during the menses, pain in the abdomen. *Great desire to urinate*. Turbid urine. Greenish urine. Insufficient, soft stool. Continual burning at the anus after stool. Severe lacerating and cutting in the anus. Itching of the anus. *Large, painful varices*. Great soreness about the genitals before, during, and after the menses. Backache when walking; feels as if she must lie down. Backache, as if broken; must get up at 3 A. M. Gnawing in coccyx. Anxiety, worse in the daytime. Easily frightened; irritable; fretful; sad. Inclined to weep.

Kali ferocyanatum.

Leucorrhœa only after the menses, and usually comes on in the daytime. Menses late. *Sad*; inclination to weep.

Kali iodatum.

Thin, watery or acrid, corrosive leucorrhœa, with itching of the vulva. Corrosive, milky-white leucorrhœa, or like the washings of meat, green or yellow, putrid. Watery leucorrhœa. Itching and burning of the vulva and thighs. Menses too early, or *too late*. Suppression of the menses. Burning pains in kidneys, and the bladder feels swollen. Painful urging to urinate. Urine red as blood. Light-green and watery, yellow stools. Diarrhœa. *Sudden, painful bloating of the stomach*. Pain in back, as if in a vise; worse sitting. Pain in back, extending to thighs. *Horrible burning in the pit of the stomach*. Burning pain in coccyx. Sadness; anxiety; passionate; spiteful; peevish.

Kali nitricum.

Thin, white, mucous leucorrhœa, with pain in the small of the back as if bruised. Suppression of the menses. *Diminished secretion* of urine. Frequent pressing in the rectum. Tenesmus of the rectum. Sluggish stool. Hard stool, *like sheep dung*. Soft or diarrhœic stool. Depressed; anxiety; peevish; delirium.

Kalmia.

Yellow leucorrhœa in the morning, after the menses. Menses too early, too late, or irregular. *Subject to neuralgia* in various parts of the body; severe in right cheek, *with alkaline taste in the mouth*. Urine profuse. Diarrhœa.

Kreosotum.

Leucorrhœa of pregnant females. Leucorrhœa before and after the menses, especially when standing or walking, not when sitting or lying. Mild leucorrhœa;

acrid leucorrhœa; corroding, yellow, offensive leucorrhœa, *causing itching and redness of the vulva and pudendum. Leucorrhœa with great debility*, particularly of the lower extremities. White, painless leucorrhœa; acrid leucorrhœa, leaving *yellow spots on the linen*. Leucorrhœa flowing like the menses. Yellow or yellowish-white leucorrhœa, having a foul smell, especially in the morning. Gray leucorrhœa after the menses. White leucorrhœa, staining the linen yellow. Os uteri open. *Menses too early, too profuse, and too long*. Menses preceded by hardness of hearing, accompanied with buzzing and humming in the head. *Frequent desire to urinate, with copious emissions and burning in the vagina*. Diminished secretion of urine. *Before urinating, sudden stitches in the vagina, making her jump or start*, seeming to come from the abdomen. Voluptuous itching deep in the vagina; has to rub it. External genitals hot and swollen. Intermitent stool. Pain in back as if it would break; worse by rest; better by motion. Spasmodic drawing from back to genitals and down the thighs. Inclined to weep. Seeks for unpleasant things, and broods over them.

Lachesis.

Leucorrhœa from three to eight days before the menses. Copious, smarting, slimy leucorrhœa, stiffening the linen and staining it green; also in cases where the menses are too short and too feeble, although they occur at the right time. Uterine region feels swollen; will bear no contact, even with the clothing. Menses *scanty, delaying, difficult*. Before the menses, headache, with vertigo. During the menses, lacerating in the abdomen; beating in the head. *Useful at the climacteric period*. Urging to urinate. *Frequent urination and copious emissions of foaming urine. Yellow urine*. Constipation of years standing. *Hard stools, resembling sheep dung*. Alternate constipation and diarrhœa. Before stools, pain in the rectum; after stools, burning in the rectum. *She feels very unhappy* on awakening in the morning; chilly at night, with flashes of heat by day, *especially at the climacteric period*. Wants to be eating—"picking around"—all the time. Pain in coccyx when sitting, as if sitting on something hard. *Much rapid talking; wants to talk all the time*. Vivid imagination. Mental activity at night. Confused, and makes mistakes in writing.

Lamium.

Copious leucorrhœa, coming off in drops, with smarting in the pudendum. Painless leucorrhœa. Profuse, mild leucorrhœa. Leucorrhœa with a burning sensation. A few drops of leucorrhœa frequently pass from the vagina. *Menses too early*, with a cutting pain above the hips. *Frequent desire to urinate*. Urging to urinate, with *scanty discharge*. Scanty, hard stool, with discharge of blood. Pain in small of back, as if it had been broken. Inclined to weep; sad; discontented.

Ledum palustre.

Profuse leucorrhœa; pale face. Menses too early and too profuse; bright red. Absence of vital heat. Copious urination, even at night. Diminished secretion of urine. Frequent urination. Stream of urine intermits during its flow. Burning in urethra after urinating; pus in the urine. Constipation; stool mixed with blood. Diarrhœa; stool mixed with mucus. Soreness between coccyx and anus. Itching and smarting. Painful stiffness of back and loins

when rising from a seat. Desire for solitude. Anger. Ill-humor. Fears to go to sleep, lest she die.

Lilium tigrinum.

Thin, acrid leucorrhœa, excoriating the parts, staining the linen brown; rash-like eruption on the genitals; swelling of the parts. Yellow leucorrhœa after the menses. Profuse, acrid leucorrhœa. Leucorrhœa worse in the afternoon and evening. Severe labor-like pains during and after the leucorrhœa. Menses scanty and too early. Pains in left ovary. Frequent urination. Scanty urine, followed by smarting in the urethra. Frequent desire to urinate in the latter part of the night and early in the morning. Urine light colored; thick, reddish sediment. Hot urine; profuse urine. Loose, bilious stools, followed by smarting at the anus and in the rectum. Diarrhœa in the morning. Cold feeling in the back. Pain in the back as if it would break. Pain in the sacrum. Sensation of pulling upwards from the tip of the coccyx. Depressed. Aversion to being alone. Inclined to weep. Constant hurried feeling. Sexual excitement.

Lippspringe.

Leucorrhœa, with itching in the rectum. Mucous leucorrhœa; later bloody. Acrid leucorrhœa; painful when walking; worse by rubbing. Menses too early. *Very frequent and increased urination, with a sudden desire which could not be resisted but a short time.* Constipation. Stools loose, difficult. Diarrhœa, with severe colic, which produced perspiration. Brown, pasty, or yellow stools. Depressed; ill-humored; irritable.

Lycopersicum.

Profuse leucorrhœa. Discharge very like menstruation, frequently brought on by its use. Frequent urination at night. Depressing backache in lower dorsal and lumbar region, which makes one feel gloomy and depressed. Peevish about trifles. Forgetful; more so when leaning the head upon anything.

Lycopodium.

Leucorrhœa profuse at intervals ; it may be milky or blood-red, particularly before the full moon. Leucorrhœa, with or preceded by a cutting across the hypogastrium from right to left. Pale face, with frequent flushes of the cheeks. *Discharge of wind from the vagina.* Itching of the labia at every menstrual period, and during the leucorrhœal flow. Vagina dry. Genitals inflamed. Menses too long and profuse. Menses too early and scanty. Menses dark, clotted ; suppressed from fright. Delay of first menses. Chronic suppression of the menses. Urine with a red or yellow sediment, like sand. Burning in the urethra. Constipation. *Rumbling and commotion in the bowels.* Borborygm. Sluggish stools. Ineffectual urging to stool. Violent, constrictive pain in the perineum for several hours after stool. *Sensation as if she were full up to the throat, even after eating but little.* She is worse at four P. M., and better at eight or nine P. M. *Menses too long and profuse.* Pains and stiffness, with stitches in the small of the back ; worse from rising from stooping, or from a seat, extending into the thighs. *Weeping. Sad, with confusion of the head. Melancholy. Despondent.* Anxiety in the evening. Irritable. Ill-humor. *Easily angered.*

Scornful. Mind distressed. Uses wrong words. Easily confused. Mind disturbed.

Magnesia carbonica.

Acrid, white mucous leucorrhœa, preceded by colic. Leucorrhœa *after the menses*. Thin, scanty leucorrhœa, with pinching around the navel. Leucorrhœa like water; smarting leucorrhœa. Menses too early or too late. Profuse menses; more profuse when walking or standing, or at night or on rising in the morning. Menstrual blood is *thick, black*, and acrid. *Inability to retain the urine*. Pale or green urine. *White sediment* in the urine. Inclines to constipation. Stool hard as a stone. Green diarrhœic stool, like the *scum of a frog pond*. A quantity of ascarides with the stool. Cutting and pinching in the abdomen previous to stool. Pain in the small of the back at night, as if broken. Sudden piercing in the coccyx. A violent pain in the back, as if it were bent back. Gloomy; then talkative. Changeable.

Magnesia muriatica.

Watery leucorrhœa. Leucorrhœa immediately after every stool, especially if the stool is hard and crumbling as it escapes from the anus. Leucorrhœa in the morning after urinating. Leucorrhœa at intervals. Leucorrhœa especially after exercise, or preceded by uterine spasms. Thick leucorrhœa, followed immediately by a discharge of blood, fourteen days previous to the regular discharge of menses. Profuse leucorrhœa, continuing almost without intermission. Menses black clots; worse when sitting. Scanty emission of urine, with burning. Greenish, papescent stool. Hard, knotty stool; difficult stool; soft stool, followed by burning. *Burning at the anus, and pain as if from excoriation, during stool.* Contractive, spasmodic pain; stitches, tearing and burning in the back and hips. Excited; unhappy; fitful; emotional.

Magnesia sulphurica.

Burning leucorrhœa, particularly during motion. *Thick* leucorrhœa, profuse like the menses, with

bruised pain in the small of the back and thighs. *Menses too late; too short; too early. Nocturnal urination.* Alternation of soft and hard stool. Soft stools with burning at the anus, or with subsequent tenesmus. Violent pain in back, as if bruised. Very lively, or greatly depressed.

Manganum.

Leucorrhœa in females whose bones are affected in such a way as to be tender to the touch. Menses too early; too scanty; too short. Frequent urging to urinate. Weeping mood; ill-humored.

Mercurius corrosivus.

Pale, yellow leucorrhœa, of a nauseous, sweetish odor. Mucous discharge, as thin as water. Leucorrhœa tinged with blood. *Vulva inflamed.* Burning heat and pain in the genitals. *Menses* profuse. *Painful urination. Urine loaded with albumen.* Hot, bloody stools. *Burning tenesmus.* Pain in back

and limbs. *Low spirited. Depressed.* Very ill-humored all day. Intellect weak.

Mercurius solubilis.

Leucorrhœa *worse in the evening; adhesive, sticky. Green, bloody, purulent, corrosive, with a biting sensation in the genitals, so she is obliged to scratch, with violent burning after scratching. Pressure in the genitals, obliging her to urinate often. Menses profuse. Frequent urination, with painful, scanty urine. Diarrhœa, with green, mucous, bloody stools. Diarrhœa, with wretched, dejected spirits. Pain in small of back, as if bruised. Believes she is dying. Anxiety; irritable; ill-humor.*

Mercurius vivus.

Leucorrhœa, which may be itching, burning, *smarting*, or *corroding*, with sensation of rawness. Discharge of flocks, pus, and mucus, as large as hazel

nuts. Whitish or greenish leucorrhœa in the evening or night, causing a smarting in the anterior portion of the pudendum, which obliges her to scratch. The scratching is followed by violent burning. *All the symptoms worse at night.* Suppression of the menses. The menses are too profuse, and attended with colic. The urine has a strong odor, and deposits a sediment resembling chalk or flour. *Constant desire to urinate. Red and brown urine.* Turbid urine. Scanty, fiery-red urine. The urine smells sour. *Desire for stool every moment*, with tenesmus, without being able to accomplish anything. *Gums look ragged. Indentations of teeth in sides of tongue.* Subject to sore throat; tonsils enlarged, so that she makes a fearful snoring or snorting when asleep. Violent pain in the spine, worse from motion. Pain in sacrum, as if after lying on a hard couch. Tearing in coccyx; better by pressing the abdomen with the hands. Excited. Lively. Everything done hastily.

Mezereum.

Albuminous leucorrhœa, sometimes tinged with blood; chronic and malignant. Mucous discharge

from the vagina and urethra. Leucorrhœa like the white of an egg. Menses too frequent and profuse. Menses suppressed. Hot urine, with a reddish sediment. *Continued diarrhœa*, with intolerable colic. *Inclined to weep. Hypochondria. Despondent. Fretful. Angry.* Easily vexed. Memory weak.

Millefoleum.

Leucorrhœa. Leucorrhœa of children; from atony of vaginal mucous membrane. Uterine hemorrhage. Menses too scanty, or too profuse. Constant desire to urinate. Rumbling and cutting in the abdomen, followed by diarrhœic stools, succeeded by tenesmus. Irritable. Violent. Aversion to work.

Morphinum.

Habitual morphine users do not have leucorrhœa; so, when other symptoms call for it, it will no doubt prove curative.

Murex.

Leucorrhœa scanty, greenish, or mixed with blood ; worse during the day ; none during the night. Scanty, thick, yellow leucorrhœa. *Acute pain in the right side of the uterus, extending to the left breast.* Constant or sudden desire to urinate. Very costive. Heaviness of the head. Confusion.

Nabulus.

White, jelly-like leucorrhœa. Menses delayed. Urine diminished, with pain in kidneys. Costive. Spirits depressed ; then excited.

Naja.

Thin, whitish leucorrhœa in the afternoon. Urine yellow, loaded with mucus. Diarrhœa with white, slimy, greenish stools. Constipation, with difficult, painful evacuations. Pain in the back, worse in the

evening. Insane. Inclined to suicide. Easily excited. Sadness. Broods over imaginary wrongs.

Natrum carbonicum.

Yellowish, thick leucorrhœa; putrid leucorrhœa, ceasing after urinating. Profuse leucorrhœa, after frequent attacks of colic, with writhing around the umbilicus. *Pressing in the hypogastrium towards the genital region, as if everything would issue from the abdomen.* Menses preceded by headache and drawing in the nape of the neck. Frequent urination, copious; with leucorrhœa. Burning in the urethra. Pressure in the region of the bladder. Stool tinged with blood. Colic previous to soft stool. Stitches in the back while sitting. *Melancholy. Sad. Depressed. Anxiety. Peevish. Irritable.* Indifferent. Worse in a thunder-storm.

Natrum muriaticum.

Leucorrhœa *early in the morning; profuse after colic*; it may be transparent, white, thick, acrid mucus.

Greenish leucorrhœa, particularly after walking, with yellow complexion. Leucorrhœa with headache. Leucorrhœa preceded by colic and bearing down. Leucorrhœa producing itching of the pudendum. Leucorrhœa at night. Leucorrhœa with smarting pain. Menses delayed four days, and are scanty. Menses appear seven days too soon. Violent desire to urinate, and inability to retain it. Involuntary emission of urine while walking. The urine immediately deposits a sediment that looks like brick dust. Retention of stool. Hard stool. Diarrhœa like water. Stool mixed with blood. Beaten, bruised, lame feeling in back, with stitches; cutting, pulsating feeling. Immoderate laughter; laughs till she cries. Inclined to weep. Obligated to weep. Sad. Melancholy. Hopeless. Ill-humored. Indifferent. Absence of mind. Forgetful.

Natrum sulfuricum.

Leucorrhœa. *Acrid, corrosive* mucus. Profuse menses. Scanty, retarded menses, with colic and constipation. *Copious urination, with brick-dust sediment.* Urine with *yellow-reddish* sediment. Hard stool, with pressure, sometimes streaked with blood.

Looseness of the bowels. Pain in the small of the back so she cannot lie only on her right side. Pain in sacrum so she cannot lie on either side. Cheerful. Happy. Irritable.

Nicolum.

Profuse, watery leucorrhœa, particularly after urinating. Menses too early or too late, too short or too feeble. Constipation. During stool, stinging in the rectum. After stool, itching of the anus. Cutting *in the abdomen*, succeeded by soft stool. Angry; quarrelsome.

Nitrum.

White leucorrhœa, with lameness of the back. Menses suppressed. Menses black as ink, with colic; legs feel weak and numb. Pain in small of the back on awakening, as if from a blow; cannot turn. Burning in the back relieved by motion.

Nux moschata.

Leucorrhœa of women who always awaken with a very dry tongue. Flatulent distension of the uterus. *Menses too late*, preceded by a pain in the back. *Menses too early*, with pressing in the abdomen and down the limbs. Sterility. Urine diminished. Urging at night, with scanty emission. *Slow, difficult stool*. Urging to stool, as if a diarrhœa would set in. Pain in small of the back, with weakness of the knees. Backache while riding in a carriage. Insanity. *Lively. Laughs easily. Loss of memory. Weeping, with burning in the eyes. Changeable humor. Alternate laughing and crying. Absence of mind. Loss of mind. Loss of consciousness. Deep stupor.*

Nux vomica.

Fetid leucorrhœa, tinging the linen yellow. Painless discharge of yellow mucus from the vagina; burning in the pudendum, with violent sexual desire. Gnawing, itching eruption on the pudendum. Swelling of the inner vagina, with burning pain, *rendering contact intolerable*. Sensation of heaviness in the region of

the neck of the womb; rising up or setting down causes a distress in that region. *Menses too early. Painful, ineffectual desire to urinate.* Nightly urging to urinate. Reddish urine, with *brick dust sediment.* Constipation, as from inaction of the bowels. Stools consist of *little balls.* Small, loose mucous stools, with *much straining.* Frightful dreams. *She awakens at 4, A. M., and after a little while falls asleep again, to awaken late in the morning, feeling worse for having slept,* or cannot go to sleep again, and after an hour of useless tossing and turning, *must rise to find relief.* Appetite poor; *sensation of a load in the stomach.* Backache in bed; must turn over or sit up. Pain in back; worse at 3 or 4, A. M. Depression of spirits, with cloudiness of intellect. *Cross; angry; quarrelsome. Violent; sensational. Cannot bear noise.* Ill-humored. *Dread of mental labor.* Repugnance to labor.

Nympha odorata.

Acrid, corrosive leucorrhœa. *Weakness of the back.*

Oleum animale.

Leucorrhœa consisting of *thin white mucus*. Menses too early, preceded and accompanied by colic. Scanty menses ; *black blood*, and languor of the hands and feet. A good deal of urging to urinate, with discharge of only a few drops. Difficult stool, after long urging. Cheerful. Fretful. Sad. Ill-humored.

Opium.

Mucous leucorrhœa. Fetid leucorrhœa. Prolapsus uteri from fright. Movements of fetus in utero very painful. Irregular menses. *Weakness of the bladder*. Paralysis of the bladder. Persistent diarrhœa, with burning in the anus. Constipation. Only one discharge a week. Back bent backwards spasmodically. *Violent delirium, with red face. Glistening eyes and mental activity*. Talkative. *Has visions of ghosts*, etc. Confusion of mind. Fearful. *Fear of impending death. Starts at the least noise. Stupid. Sul-len. Insensibility, with open eyes.*

Pediculus.

Leucorrhœa, with pain in uterus. Uterus sensitive to external pressure. Urine profuse. Diarrhœa. Very merry.

Petroleum.

Profuse leucorrhœa every day ; also with lascivious dreams at night. Leucorrhœa *like albumen*. White, sticky leucorrhœa. Leucorrhœa like the white of an egg. Genitals sore, moist, with violent itching. Menses may be premature, or scanty, or delayed ; acrid. Frequent micturition. *Constant dribbling of urine. Urine passes slow.* Diarrhœa consisting of *bloody mucus*. Pain in coccyx while sitting. Pain in back ; is unable to move.

Phosphorus.

Smarting leucorrhœa, *causing blisters*. Profuse leucorrhœa, with sense of great weakness in the ab-

domen. The leucorrhœa is often corrosive, in consequence of chlorosis. Burning leucorrhœa after the menses. Leucorrhœa instead of the menses. *Acrid leucorrhœa, causing soreness.* Watery slime, especially during or instead of the menses. Mucous leucorrhœa. Milky leucorrhœa early in the morning, when walking; slimy leucorrhœa; reddish leucorrhœa in an old woman. Weeping before the menses. Menses too late. *Menses too early*, and scanty. Menses profuse, bright. Involuntary emission of urine. Urine has a sediment of white flocculi. The urine deposits a brick dust sediment. Constipation. Stool resembling the hardened feces of a dog, and is evacuated with difficulty. Long, slim stools. Suitable to tall, slender, "*phthisical*" patients. Sensation of heat passing up the back. *Cramps of pregnant females.* Vertigo on first rising in the morning. Pain in coccyx hindering motion. *Delirium, with sexual excitement. Violent delirium, with difficult breathing. Apathy. Moves and talks slowly. Sad; anxious; depressed; irritable; aversion to mental labor; forgetful.*

Physostigma.

Leucorrhœa, profuse, with great weakness. Milk-white, bloody, scanty, stringy leucorrhœa. Great mental activity.

Phytolacca.

Leucorrhœa. Menses profuse, and too frequent. Copious urination; chalk-like sediment. Dark-red urine. Constipation. Hypertrophy of breasts and uterus. Pain in lumbar region. Aching in sacrum. Pain streaking up and down the spine. Great loss of personal delicacy. Disregard or indifference of life or surrounding objects.

Platina.

Albuminous leucorrhœa, like the white of an egg, *only in the day time*, particularly in women who have difficult stools from the *glutinous nature of the excre-*

ments. Leucorrhœa, with pinching in the abdomen, followed by pressing down in the groins, alternated by a pressure in the pudendum, and increased discharge of blood. Leucorrhœa after urinating, and on rising from a seat. Vagina sensitive and tender. Voluptuous tingling in the pudendum. *Menses too early*, scanty, with diarrhœa; or *too profuse*, or *too long*. Dark, clotted menses. Suppressed menses of *Irish emigrants*. *Red urine*, with white clouds. Constipation. Half-digested, papescent stools in the morning. Numbness in the sacrum and coccyx. Pain in back, extending to groin and down the limbs. Illusions. *Everything seems small. Lively, then sad.* Proud. Haughty. *Great fear of death, which she thinks near at hand.* Peevish; anxious; sensitive.

Plumbum.

Leucorrhœa, with *great inclination* to miscarriage. Leucorrhœa, with a continued sense of drawing in from the abdomen to the back. *Vaginismus*. Mucous discharge from the vagina. Tenesmus of the neck of the bladder. *Scanty, high-colored urine, emitted in drops.* *Albuminous urine.* *Great urinary troubles.*

Dysentery, with violent colic. Violent diarrhœa. Scanty, sluggish stool, resembling *sheep dung*. Constipation. *Colic.* Stools in *small, green or black balls*. Delirium. Fears she will be murdered. *Loss of memory.* *Coma.* Stupid. Convulsions.

Podophyllum.

Leucorrhœa consisting of thick, transparent mucus. Leucorrhœa with constipation and *bearing down in the genitals*. Prolapsus uteri and *ani*. Pain in the ovaries. Suppression of the menses in young girls. Enuresis. Urine diminished, or suppressed, or involuntary during sleep. Scanty urine. Hard, dry stool. Yellow or dark green stools. *Changeable stools*. Very nervous and easily excited; sleeps but little, or not at all. She is in a weakly, miserable condition. Pain in back, worse at night and from motion.

Prunus spinosa.

Leucorrhœa making the parts sore and tinging the linen yellow. Constant leucorrhœa, that made her

weak. Menses every *two weeks*, with pain in the back. *Scanty* emission of brown urine. *Has to press a long time before the urine makes its appearance.* Spasm of the bladder; worse at night. *Pain in the small of the back while sitting.*

Psorinum.

Leucorrhœa in large lumps, with *very offensive odor*. Dysmenorrhœa near climaxis. Amenorrhœa in patients with consumptive tendency, when there is a thick tetter covered with thick crusts. Cutting in left loin; cannot walk without assistance. Involuntary urination. Frequent, scanty, thick, whitish, turbid urine, with red deposit. Stools liquid, green, fetid, smelling like rotten eggs. Back painful, weak; worse from motion. Dull; stupid; sad; sentimental; changeable.

Pulsatilla nigricans.

Leucorrhœa burning, *thin and acrid*. *Milky* leucorrhœa, with swelling of the vulva, particularly after

the menses. *Thick, white, mucous* leucorrhœa, especially when lying, or before and during the menses, which are scanty, with cutting or cramping in the bowels. Leucorrhœa thick, like cream, attended with pruritis near the change of life ; when occasioned by fright in young girls before menstruation is fairly established. *Painless leucorrhœa, like cream. Leucorrhœa worse lying down.* Leucorrhœa with burning pain. Prolapsus uteri. *Suppression of the menses*, with nausea and disposition to vomit ; with convulsions. *Menses too early ; menses too long ; menses too short.* The blood is thick and black. Pain in back, as from long stooping. *Inclined to cry. Dread of ghosts.* Morose ; silent ; sad ; fretful. Ill-humor. *Anxiety at night.*

•
Pulsatilla nuttalliana.

Profuse leucorrhœa, with *depression of spirits.* Painless leucorrhœa in the afternoon and evening. Menses too early and profuse. Strong smelling urine. Sudden diarrhœa.

Ranunculus bulbosa.

Leucorrhœa, at first mild, afterwards acrid and corrosive. Hard stool, preceded by colic. *Pain in the small of the back. Stitch in the right lumbar region when walking.* Vanishing of thoughts when reflecting.

Raphanus.

, Mucous leucorrhœa, at times slightly tinged with blood. Constant titillation in the genitals. Sensation of a foreign body rising from the uretus to the chest. Nymphomania. Sexual excitement. Urine *copious*, yellow. Stools *yellow, brown, liquid, copious*, mostly in the morning. Great aversion to the opposite sex.

Ratanhia.

Leucorrhœa. Leucorrhœa, with constant itching in the rectum, and discharge of bloody mucus.

Menses too early. Pain in small of the back during menses. Frequent urging to urinate, only a few drops being passed at a time. Hard stool, with straining. *Burning* in rectum. *Violent* itching in rectum. Pain in small of the back during menses.

Robinia.

Leucorrhœa whitish, yellowish, greenish, thick, acrid, purulent. Discharge of blood like a hemorrhage between the menstrual periods, accompanied by purulent leucorrhœa. Hard swelling of the womb. Cramps in the womb. Menses too late; black. Eruption and ulcers like herpes on vagina and vulva. Urine scanty and painful, or profuse and turbid. Stools loose, black, fetid, with great tenesmus. *Stomach very sour.* Very low-spirited.

Ruta graveolens.

Corrosive leucorrhœa after suppression of menses. Acrid, gnawing leucorrhœa after the menses. Menses

too early and too profuse. Involuntary urination. *Difficult expulsion of stool. Frequent urging to stool, with protrusion of the rectum.* Involuntary stool. Prolapsus of the rectum, with or without stool, with much swelling and soreness. Pain in coccyx, as if bruised. Stitches in back when stooping, sitting, or walking ; better by pressure or lying down.

Sabina.

Yellowish, ichorous, fetid leucorrhœa, and painful discharges of blood every two weeks. Habitual leucorrhœa, of the consistence of starch ; copious, milky, causing itching. Leucorrhœa after suppression of the menses ; discharge of blood between the periods, with sexual excitement. Offensive leucorrhœa after suppression of the menses. Profuse menses. Hemorrhage from the womb. Suppression of the menses. Clotted menses ; offensive, with pain from sacrum to pubes. Retention of urine, passing drop by drop. *Constant pain in back.* Drawing pain in back, extending to the pubes. Weariness in lumbar region. Paralytic

pain in back. *Great anxiety. Despondency. Hypochondriasis.*

Sanguinaria Canadensis.

Corrosive, fetid leucorrhœa at the *climacteric period*; it continues after the menses cease. Suppression of the menses. *Escape of flatus from the vagina.* Frequent and copious urination at night. Shifting pains in the back; worse when drawing a long breath.

Saracenia.

Watery or milky leucorrhœa, thick, whitish, foul-smelling, with spasmodic pain in uterus.

Sarsaparilla.

Slimy, *mucous leucorrhœa when walking*, particularly in women who have a *sharp pain in the urethra*

at the close of urination. Menses delayed, scanty, acrid. "*Frequent desire to urinate,* with scanty emission. *Tenesmus of the bladder.* Sometimes grayish sand in the urine. Obstinate constipation. Stitches in back from the least motion. Pain in hips and down the limbs. Cheerful. Mind depressed. Inclined to weep.

Secale cornutum.

Leucorrhœa in thin, scrawny women, with prolapsus uteri. Leucorrhœa like cream. Brown, offensive leucorrhœa. Menses thick, black, lumpy. The menses are too profuse and too long; also with violent spasms. Suppression of urine. *Painful diarrhœa, with great prostration.* Watery, mucous diarrhœa. Tingling in back, extending to toes and fingers. Stitch in the back. *Delirium. Constant moaning and fear of death. Great anxiety and difficult respiration.* Loss of senses; stupid.

Sepia succus.

Yellowish, thick leucorrhœa. Acrid leucorrhœa. Leucorrhœa clear as water. Mucous leucorrhœa clear as water. Leucorrhœa at the *climacteric period*, at puberty, *during pregnancy*. Leucorrhœa, with stitches in the uterus. Leucorrhœa, with *itching of the vulva and vagina*. The leucorrhœa is increased when she has frequent eructations and retchings ; in this case her face turns pale. Discharge of green-red fluid from the vagina during pregnancy. Leucorrhœa especially profuse after urinating ; after making an effort to vomit. Leucorrhœa having the appearance of pus. Leucorrhœa like milk, only in the daytime, with burning pain, and producing soreness between the thighs ; pains while walking on account of the soreness produced by the leucorrhœa ; discharge of blood only when walking ; leucorrhœa of a yellow or greenish water ; like pus or bad-smelling fluids ; bearing down in the pelvis ; stinging pain in the ovarian region ; frequent urging to urinate, and itching in the genitals ; the discharge is of a varied nature. *Menses too early. Menses too late. Scanty menses. Continued desire to urinate, with painful bearing down in the pelvis. Sensation as if drops of urine came out of the bladder. Turbia urine, with brick-dust sediment. Blood-red urine.*

Violent burning in the bladder, and desire to urinate. Constipation. *Exhausting diarrhœa*. Prolapsus of the rectum. A painful sensation of goneness in the pit of the stomach continually. Slight, darting pains shooting upwards from the cervix uteri. Sexual intercourse is intolerable. Weakness of the back when walking. When stooping, sudden pain in the back, relieved by hard pressure. *Very nervous*; sensitive; *inclined to cry*; *sad*; *gloomy*. Every time she goes shopping she has a severe nervous headache follow it.

Silicea.

Painfully smarting, acrid, corroding, profuse leucorrhœa, especially after tasting sour things. Discharge of a quantity of white water from the womb, with violent itching of the pudendum. Milky leucorrhœa in paroxysms, with cutting pain in the umbilical region; frequently, also, discharge during micturition. Menses too early. *Increased menses*. Desire to urinate, without emission. Micturition almost every night. Constipation; *the stool comes to the verge of the anus, then slips back into the rectum*. Stiff back after sitting. Pain in back, shooting down the limbs.

Pain across the back on getting out of bed in the morning. Aching, beating, throbbing in the back. Pain in coccyx after riding. *Gloomy; sensitive; easily startled; dejected; conscientious. Easily annoyed.* Mental labor difficult.

Solanum.

Milk-white mucous leucorrhœa. Yellow leucorrhœa. Bloody discharge from the vagina. Offensive menses. Burning in the vagina. Dryness of the vagina. Redness of the vulva, and pruritis. Melancholy. Sobbing. Complaining. Ill-humor.

Stannum.

Leucorrhœa, with great debility. Yellowish, debilitating leucorrhœa; transparent, white mucus, with smarting. *Prolapsus of vagina.* Profuse menses. Frequent desire to urinate, with copious emission. Retention of urine. *Unsuccessful desire for stool.*

Great weakness, seemingly in the chest; she is therefore unable to read or talk aloud. Cough, with a yellow or greenish expectoration, causing a sensation of weakness in the chest. Stitches in the small of the back and limbs. Quiet, fretfulness. Answers questions unwillingly.

Strontium carbonate.

Leucorrhœa while walking. Menses too early, but of short duration. Diminished urine. Intermittent stool.

Sulphur.

Yellow mucus, corroding leucorrhœa, preceded by cutting colic, or pinching around the naval. Profuse leucorrhœa. *Violent leucorrhœa.* Smarting, burning, thin leucorrhœa, especially in the morning after rising. *Scanty, acrid leucorrhœa.* Mild leucorrhœa. Leucorrhœa, with burning in the soles of the feet and on

top of the head. Leucorrhœa, smarting like salt ; she must scratch till the parts bleed ; worse at night ; she must rise and bathe the parts several times each night in order to sleep, on account of the violent itching, burning, and smarting. Burning and painful leucorrhœa, making the vulva sore. Mucous leucorrhœa a fortnight before the menses ; yellow, excoriating discharge from the vagina, accompanied with palpitation of the heart during motion, and followed by burning in the abdomen. Itching eruption over the abdomen. Burning of the pudendum, accompanied by blisters. Violent itching of the clitoris. Burning in the vagina ; vagina sore. Menses too late. Menses too early. Pale menses. Violent desire to urinate. *Frequent micturition.* Copious micturition after midnight. *Violent desire to urinate at night.* Fetid urine. Hard, difficult stool. *Frequent unsuccessful desire for stool.* *Undigested stool.* Mucous stools. White, slimy stools. *Feeling of faintness, with strong craving for food at 11 o'clock A. M.* Sensation of cold feet, though they are not really cold ; flashes of heat passing off, with slight perspiration and feeling of weakness and faintness ; does not sleep well, waking often, and feels languid in the morning. Pain in small of back on rising from a seat. *Excitable. Vexatious and morbid ideas. Great weeping.* Sensitive. Discouraged. Low spirits. *Great anxiety ; peevish ; irrita-*

ble ; takes pleasure in nothing ; inclined to weep ; forgetful ; stupid.

Sumbul.

White leucorrhœa, worse after sitting. Menses too early. Constant desire to urinate. Much urinary difficulty. Diarrhœa. Intellect *dull in the morning*, clear in the evening.

Tabaccum.

Flesh-colored leucorrhœa a *fortnight after the menses*. Enuresis. Diarrhœa with colic, nausea, vomiting, flatulence, and soreness of the anus. Violent pain in the small of the back. Throbbing in sacrum in evening.

Tarentula.

Leucorrhœa alternating with bloody discharge. Leucorrhœa following hemorrhage, with great weakness. Expulsion of gas from the vagina. Pruritis. Menses too early and too profuse. Weak back, with urinary troubles. Cystitis. Diabetes. Hysteria. Stupid laughter; nervous laughter. *Extreme gayety. Cross. Angry. Irritable.*

Tartar emetic.

Viscid, white, mucous leucorrhœa. *Discharge of watery blood from the vagina; worse when sitting. Red urine,* with burning in the urethra. Diarrhœa, with palpitation of the heart.

Taxus baccata.

Discharge of *mucus* from the vagina. Strangury and reddish urine. Pain in kidneys, so has to press

the hand upon them when walking. Small stool, with tenesmus. Delirium. Coma. Insensibility.

Teplitz.

Milk-white leucorrhœa, like boiled starch. Menses too early and profuse. Pain in back ; worse by movement. Inclined to weep. Weak memory.

Thuya.

Leucorrhœa from one period to another ; it is mild, and leaves a yellowish-green stain upon the linen. Mucous discharge from the urethra. Bloody urine. Burning in the urethra between the acts of micturition. Constipation. *Loose stools*, particularly indicated if the patient has long fig warts. Swelling of both labiæ, painful and burning. Pulsating in the back. Burning in the small of the back. *Passionate. Depressed.* Melancholy. Discontented. *Loathing of life.* Impatient. Ill-humored. Peevish.

Tillia.

Profuse, slimy, pale leucorrhœa ; worse while walking. Genitals red, sore, with burning externally. Menses late, scanty, pale.

Tongo.

Thick, mucous leucorrhœa ; worse after walking and in the daytime. Menses scanty, too early, painless.

Viola tricola.

Leucorrhœa with stitching pain in mons veneris. Frequent urinations, with profuse urine.

Vösla.

Mucous leucorrhœa. Menses delayed, scanty, offensive, or too frequent and copious.

Water.

If the parts, internal or external, are hot, painful or sensitive, warm, even hot, water may be used. If the parts seem cold, relaxed, or almost insensible, small quantities of water quite cold may be used. It may be used in form of injection. wash. or hip bath.

Wiesbaden.

Slimy moisture oozing from the vagina. Menses profuse.

Wyethia.

Leucorrhœa. Pain in ovaries, shooting down to knees.

Zincum metallicum.

Bloody mucous leucorrhœa, especially after stools and after the menses. Thick leucorrhœa morning and evening, before and during the menses. Leucorrhœa, preceded by cutting in the bowels, gnawing or pinching in the epigastrium. Smarting pain in the pudendum, as if the parts were sore, especially during micturition. Stinging in the pudendum when walking. Menses too early and too profuse, lumpy, coagulated, passing away mostly when walking. White ulcer on inside of labia majora, first causing a pain as if sore when touching it, afterwards smarting. *The urine looks turbid and loam colored. Dry, insufficient stool.* Constipation. Burning at the anus. Burning along the whole spine. Pain in the small of the back when sitting, or when sitting down; diminished by constant walking. *Fretful; despondent; loss of thoughts.* Forgetful; stupid.

Zizia.

Acrid leucorrhœa. Profuse, bland leucorrhœa. Leucorrhœa after the menses. Menses, profuse. Uterine affections characterized by nervous excitement.

INDEX.

LEUCORRHEA.

A.

- Abdomen, burning in. Sulph.
cutting in. Nicol. ; Zinc.
distension of. Am. mur. ; China ; Coccul. ;
Graph. ; Kali iod. ; Lach.
pains from both sides. Con.
pains in. Acid sul. ; Aurum met. ; Lil. tig.
pinching in. Plat.
weak. Phos.
weak thighs. Nux mos.
- Abortion, tendency to. Aletris ; Bap. ; Bufo.
- Acrid. Acid phos. ; Acid sul. ; *Alumina* ; *Am. carb.* ;
Apis ; *Æs.* ; Aur. mur. ; Bap. ; Berb. ;
Borax ; Canth. ; Caps. ; Cham. ; Con. ; Cub. ;
Curare ; Kali iod. ; *Kreos.* ; Lil. tig. ; Lipps. ;
Mag. carb. ; Nat. mur. ; *Nat. sul.* ; Nympha ;
Phos. ; *Puls.* ; Ran. ; Robinia ; Ruta ; Sepia ;
Sil. ; Sulph. ; Zizia.
- Adhesive. *Merc. sol.*

After accidents. Ambr. gr. ; Arn.

colic. Am. mur. ; Carbo. veg. ; Coccul. ; Nat.
mur.

confinement. Arn.

eating. Cham.

exercise. Mag. mur. ; Nat. mur.

hard stool. Ambr. gr.

hemorrhages. Tarentula.

injuries. Arn.

lifting. Cal. carb.

loss of blood. China.

menses. Acid nit. ; *Acid phos.* ; Æscul. ;
Alumina ; Anath. ; Ars.

mercurial treatment. Acid nit.

rheumatism. Cold washes relieve ; Acon.

rising from a seat. Plat.

rising in the morning. Sulph.

sitting. Sumbul.

stool. Mag. mur. ; Zinc.

suppressed menses. Acon. ; Ruta ; Sab.

tumors. Arn.

urinating. Aur. mur. ; Plat. ; Sepia.

vomiting. Sepia.

walking. Ambr. gr. ; *Nat. mur.*

Afternoons. Anath. ; Naja ; Puls. nut.

Aggravated by passage of stool. Cal. phos.
of urine. Cal. phos.

Air, open, worse in. Am. carb.

Albuminous. Borax ; Elaps ; Mez. ; Petrol. ; Plat.

Alternating with bloody discharge. Tarentula.

Ammonia, smells like. Am. carb.

Anemia. Helon.

Anus burns. Berb. ; Ratan.

itches. Acid mur. ; Ratan.

sore, — cannot touch it. Acid mur.

sore, from piles or fissure. Acid mur.

weight in. Graph.

Appetite poor. Nux vom. ; Phos.

As if everything would issue from uterus. Nat. carb.

Atony of the uterus. Mill.

Awakes at 2 o'clock, A. M. Acid. nit.

4 o'clock, A. M. Nux. vom.

startled. Acid nit.

suddenly. Acid nit.

B.

Back aches. Bell. ; Berb. ; Graph. ; Helon. ; Kali carb.

bruised feeling in. Ars. ; Aur. met. ; Bry. ;

Cham. ; Coccus ; Dros. ; Hepar ; Nat. mur.

bent backwards spasmodically. Opi.

burning in. Acid nit. ; Acid phos. ; Alumina ;

Kali iod. ; Nitrum ; Phos. ; Thuya ; Zinc.

cannot lie on. Am. mur.

- Back, cold feeling in. Lil. tig.
 constant dull pain in. *Æscul.*; *Caulo.*
 cutting in. *Lam.*; *Nat. mur.*
 heat in. *Phos.*; *Sabina.*
 gives out. *Æscul.*
 heaviness in. *Acid phos.*
 heat passes up. *Phos.*
 lame, cannot raise the thighs. *Aur. met.*;
 Con.; *Nat. mur.*
 numb. *Acon.*; *Graph.*; *Plat.*
 pains darting in every direction. *Berb.*
 pains and fainting. *Baryta carb.*
 pains in, *Acid mur.*; *Acid sul.*; *Agnus*;
 Am. carb.; *Bap.*; *Baryta carb.*; *Bor.*;
 Brom.; *Cal. carb.*; *Canth.*; *Carbo. veg.*;
 Carls.; *Castor.*; *Caust.*; *Chel.*; *Coccul.*;
 Gels.; *Gran.*; *Kali bi.*; *Kali iod.*; *Kali*
 nit.; *Kreos.*; *Lil. tig.*; *Lyc.*; *Mag. carb.*;
 Mag. mur.; *Mag. sul.*; *Naja*; *Nat. sul.*;
 Nux vom.; *Petrol.*; *Podo.*; *Puls.*; *Sabina*;
 Sang.; *Teplitz.*
 pain in lumbar region. *Alumina*; *Ambr. gr.*;
 Berb.; *Chel.*; *Gels.*; *Hedeo.*; *Phyto.*
 small of back. *Acid phos.*; *Alumina*; *Am.*
 carb.; *Aur. met.*; *Baryta carb.*; *Carbo. an.*;
 Coccol.; *Coff.*; *Ham.*; *Kali nit.*; *Lam.*;
 Ledum; *Lyc.*; *Mag. carb.*; *Mag. sul.*;

Nitrum ; Nux mos. ; Plat. ; Prun. ; Psor. ;
Ran. ; Ruta ; Sil.

painful stiffness on rising. Anac. ; Arg. nit. ;
Cal. carb.

pain extending to thighs. Brom. ; *Cim.* ;
Graph. ; Ham. ; Kali iod. ; Kreos. ; Lyc. ;
Sars. ; Sil.

paralyzed feeling in. Coccul.

pulsating in. Thuya.

to abdomen. Æscul.

to pubes. Sabina.

to uterus. Helon.

to groin Granat. ; Helon.

to thighs. Aur. met. ; Helon.

drawing in, in daytime. Graph.

stitch in. *Cal. phos.* ; Con. ; Cyc. ; Dros. ;
Hyper. ; Iod. ; Lach. ; Mag. mur. ; Nat. carb. ;
Nat. mur. ; Ran. ; Ruta ; Sars. ; Secale ;
Stann.

weak. Anac. ; Anath. ; Ars. ; Graph. ; Guarea ;
Nymph. ; Psor. ; Sab. ; Sep. ; Tarentula.

Bearing down, as if something would issue. Ant.
crud. ; Bell. ; Helon.

Before full moon. Lyc.

menses. Acid. phos. ; Alumina ; *Bov.* ; Bufo ;
Baryta carb. ; Cal. carb. ; Carbo. veg. ; China ;
Cocculus ; Eupi. ; Fer. acet. ; Graph. ; Kal. ;

- Kreos. ; Lach. ; Mag. mur. ; Puls. ; Sulph. ;
Thuya. ; Zinc.
- Bearing down. Aur. met. ; *Bell.* ; Graph. ; Hydro-
phob. ; Nat. mur. ; Nux vom. ; Podo. ; Secale
Sepia.
- Bending, when. Coccus.
- Better at rest. Brom.
- by bending. Anac. ; Kali bi.
- by lying down. Ruta ; Kreos.
- by motion. Kreos. ; Nitrum.
- by open air. Puls.
- by pressure on bowels. Ruta ; Sepia.
- by rising in the morning. Carbo. veg. ; Nux vom.
- by sitting. Kreos.
- by standing. Arg. nit.
- by walking. Alumina ; Am. carb. ; Arg. nit. ;
Zinc.
- Between periods. Bov. ; Bufo ; Cham. ; Coccus ;
Ham. ; Hepar ; Robinia ; Sabina ; Thuya.
- Biting. Ant. crud. ; carbo. an. ; Lam. ; Merc. sol.
- Bladder, pressure on. Coff.
- Bland. Zizia.
- Blisters, causing. Phos.
- Bloody. Acon. ; Acid sul. ; Ambr. gr. ; Ars. ; Canth. ;
Carbo. veg. ; Chin. sul. ; Coff. ; Fagopy. ;
Ham. ; Lipps. ; Lyc. ; Merc. cor. ; Merc.
sol. ; Physos. ; Robinia ; Sul. ; Zinc.

- Bluish-white. Ambr. gr.
 Bones affected, sore. Mang.
 Bones of pelvis sore, and feel loose. Arg. nit.
 Bowels, cramps in. Caust.
 rumbling in. *Lyc.*
 Breath, easily put out of. Iod.
 Brown, slimy. Acid nit.; Am. mur ; Secale.
 watery. Acid nit.
 Burning. Acid sul. ; Æscul. ; Alumina ; Am. carb. ;
 Berb. ; Canth. ; Cal. carb. ; Carbo. an. ; Carls. ;
 Castor. ; Chel. ; *Con.* ; Hedeo. ; Kali carb. ;
 Kali iod. ; Mag. sul. ; Merc. cor. ; Merc. viv. ;
 Nux vom. ; Puls. ; Sepia ; Sulph. ; Thuya. ;
 Tillia.
 Burning in feet and top of head. Sulph.
 in kidneys. Kali iod.
 in ovarian region. Apis. ; Bell. ; Lach.
 in vagina. Aur. met.
 Buzzing in ears. Borax.

C.

- Cannot rise, nor bend backwards. Baryta carb.
 Causing blisters. Phos.
 Ceasing after urinating. Nat. carb.
 Change of life, at. *Lach.* ; *Puls.* ; *Sang.* ; *Sepia.*
 Cherry-brown. Acid nit.
 Chest, weakness of. Cal. carb. ; Stann.

Chilled easily. Ars. ; Cal. carb. ; Lach. ; Ledum.

Child in. Cal. carb. ; Hyper. ; Mill.

Chronic. Ign. ; Iod. ; Mez.

Clear. Anath. ; Bufo ; Sepia.

Climacteric. Cal. carb. ; *Lach.* ; Sang. ; Sepia.

Clitoris itches. *Sulph.*

Clotted. China ; Curare.

Coagulated. Impond.

Coccyx, burning in. Apis ; Carbo. an. ; Kali iod.

itching in. Ledum.

numb. Platina.

pain in. Acid mur. ; Agnus ; Canth. ; Carbo.

an. ; Caust. ; Iod. ; Kali bi. ; Kali carb. ;

Lach. ; Mag. carb. ; Petrol. ; Phos. ; Ruta ;

Sil.

pulling in. Ledum.

weight in. Ledum.

Cold after. Nat. carb. ; Nat. mur.

takes easily. Acid nit.

water disagrees. *Ars.*

washes disagree. Art. crud.

Colic with. Bell. ; Caust. ; Con. ; Crocus ; Cubeba ;

Dros. ; *Kreos.* ; Plat. ; Puls.

Complexion light. Cal. carb.

yellow. Carbo. veg. ; Caust. ; Fer. acet. ; Nat.

mur.

Confinement after. Podo.

Constant. Aur. mur. ; Cal. phos. ; Prunus.

Continuous. Cal. phos.

Copious. Arg. nit. ; Cubeba ; Eupi. ; Lam. ; Sab. ;
Tillia.

Corroding the linen. *Iod.*

Corrosive. Acid sul. ; *Æscul.* ; Ambr. gr. ; Anac. ;
Aralia ; Arg. nit. ; Ars. ; Aur. met. ; Bor. ;
Bov. ; *Cal. carb.* ; Carbo. veg. ; *Cham.* ; *Con.* ;
Cubeba ; Fer. acet. ; Hedeo. ; Ign. ; Iod. ;
Kali bi. ; Kali iod. ; Kreos. ; Lil. tig. ; Merc.
sol. ; Merc. viv. ; Nat. mur. ; *Nat. sul.* ;
Phos. ; Prun. ; Ran. ; *Ruta* ; Sang. ; Sil. ;
Sulph.

Cough with. Con. ; Nux vom. ; Stann.

Cramps in pregnant females. *Phos.*

Cream-like. Bufo ; Cal. phos. ; Puls.

Cutting from left to right. Lyc.

Cutting in bowels. Puls.

D.

Day or night. *Æscul.* ; Baryta carb. ; Cal. phos. ;
Graph.

Daytime only. *Alumina* ; Chel. ; Murex ; Petrol. ;
Plat. ; Sepia.

Debility with. Aletris ; Ars. ; Bap. ; Baryta carb. ;
Berb. ; China ; Con. ; Eupion ; Iod. ; *Kreos.* ;
Oleum ; Stann.

Delicacy, personal, loss of. Phyto.

Delicate women with red face. Fer. met.

Difficult swallowing. Alumina.

Discharge, acrid. *See Acrid.*

after colic. Am. mur.; Carbo. veg.; Nat. mur.

after confinement. Arn.; Podo.

after eating. Cham.

after eating sour things. Silic.

after exercise. Mag. mur.; Nat. mur.

after injuries. Arn.

after loss of blood. China.

after rising from a seat. Plat.; Sulph.

after stool. Mag. mur.

after urinating. Mag. mur.; Plat.; Sepia.

after vomiting. Sepia.

after walking. Nat. mur.

albuminous. Borax; Mez.; Pet.; Plat.

at intervals. Cal. carb.; Lyc.; Mag. mur.

at rest. Fagopy.

beating in the head. Borax.

bending, when. Coccul.

buzzing in head with. Borax; Kreos.

clots in. Impond.; Merc viv.

dark. Æscul.; Ars.

in drops. Lamium.

during menses. Iod.

Discharge, green. Acid nit. ; Arg. nit. ; Bov. ; Merc. sol. ; Nat. mur. ; Sepia ; Thuya.

gushes out. Coccul. ; *Graph.*

hangs in strings. Hyd.

ichorous. Cocculus ; Sabina.

itching with. Acid nit. ; Acid phos. ; Æscul. ; Alumina ; Ambr. gr. ; Am. carb. ; Anac. ; Anath. ; Bufo ; Cal. acet. ; Cal. carb. ; Carbo. veg. ; Carls. ; Cent. ; China ; Coff. ; Coll. ; Cop. ; Hedeo. ; Helon. ; Kali carb. ; Kali iod. ; *Kreos.* ; Lipps. ; Lyc. ; Merc. viv. ; Nat. mur. ; Nux vom. ; *Petrol.* ; Plat. ; Ratan. ; Sab. ; *Sep.* ; Sil. ; Sulph.

red. Phos. ; Sepia.

scanty. Agn. ; Alumina ; Curare ; Mag. carb. ; Sulph.

sudden. Arsenium.

squatting down. Coccul.

Dispositions mild. Ign. ; Puls.

Dreams badly. *Ars.* ; Bell. ; Nux vom. ; *Petrol.*

before she is fairly asleep. *Bell.*

lascivious. *Petrol.*

Displacements aggravated. Cal. ; Phos.

Does not stain linen. Eupator.

Does not sleep well. Bell.

Downward movement, cannot bear. Borax.

Drawing from abdomen to back. Plumb.

Drawing from left to right. Cal. phos.

right to left. Lyc.

to thighs. Cal. phos.

Drops coming away in. Lam.

During menses. Ars. ; Cal. phos. ; Iod. ; Phos. ; Zinc.

pregnancy. Coccul. ; Coll. ; *Kreos.* ; *Sepia.*

urination. Cal. phos. ; Sil. ; Zinc.

E.

Ears, buzzing in. Borax.

Easily put out of breath. Iod.

Easily tired. Ars.

Eating constantly. Lach.

Eggs, like the white of. Am. mur. ; *Borax* ; *Bov.* ;
Cal. phos.

Emaciation. Cal. carb. ; Eupi.

Epistaxis. Acid nit. ; Carbo. veg. ; Phos. ; Lil. tig.

Eructations. Carbo. veg. ; China ; *Sepia.*

Eruptions with. Aur. met. ; Kali carb. ; Lil. tig. ;
Nux vom. ; Sulph.

Escaping same as menses. Caust.

Evening. Acid nit. ; Bufo ; Merc. sol. ; Merc. viv. ;
Puls. nut. ; Zinc.

Excitement, sexual. Hyd. ; Ign.

Excoriating. *See Corrosive.*

Eyes feel bad. Bell.

Eyelids droop. Caust.

F.

Face dark red. Gels.

Face pale. Cal. carb.; Caust.; Lilium; Lyc.;
Sepia.

Face yellow. Carbo. veg.; Caust.; Fer. acet.; Nat.
mur.

Fainting. Baryta. carb.

Faintness at 11 o'clock A. M. Sulph.

Faint feeling. Sulph.

Fat women. Cal. carb.

Feet cold. Cal. carb.; Hyper.; Sulph.

Feet cold and damp. Cal. carb.

Fetid. Acid nit.; Bap.; China; Con.; Guarea; *Nux*
vom.; Opi.; Sab.; Sang.; Saracen.

Feverish. Acon.; Kali bi.

Fingers tingling in. Acon.; Lach.

Flatulence with. Arg. nit.; Carbo. veg.; Caust.;
China; Coccus; Kali iod.; Lyc.

Flatus from vagina. Lyc.; Sang.

Flesh-colored. Acid nit.; *Alumina*; Tobac.

Flocks, discharge of. Merc. viv.

Flushes of heat. Carls.; Lach.; Sulph.

Forehead aches. Eupi.

Fright caused by. Acon.; Puls.

Full moon, before. Lyc.

Fulness in the hypogastrium. Gels.

G.

Genitals, burning in. Alumina; Bov.; Kali carb.; -
Solan.; Sulph.

feel heavy. Aur. sul.

feel wet. Eupator; Petrol.

heat in. Cal. carb.; Merc. cor.

itching. *Acid nit.*; Acid phos.; *Æscul.*;
Allium; Alumina; Ambr. gr.; Am. carb.;
Anac.; Anath.; Cal. acet.; Cal. carb.;
Carbo. veg.; Carls.; China; Coff.; Coll.;
Cop.; Fer. met.; Hedeo.; Helon.; Kali
carb.; Kali iod.; *Kreos.*; Lipps.; Lyc.;
Merc. cor.; Merc. viv.; Nat. mur.; Nux
vom.; *Petrol.*; Plat.; Sab.; *Sep.*; Sil.;
Sulph.

look green. Acid sul.

inflamed. Lyc.; Tillia.

pulsating in. Cal. phos.

relaxed. Agnus.

smarting. Carls.; Con.; Curare; Fer. acet.;
Hepar; Kali bi.; Lach.; Lam.; Mag.
carb.; *Merc. viv.*; Phos.; Sil.; Stann.;
Sulph.; Zinc.

soreness of. Anath.; Carbo. veg.; Cann.;
Kali carb.; Lach.; Petrol.

Grayish mucus. Berb.; Cal. phos.

Green. Anath. ; Apis ; Arg. nit. ; Cubeba. ; Kali
iod. ; Merc. sol. ; Merc. viv. ; Robinia ;
Sepia.

Green, genitals look. Acid. sul.

Groin, pressing in. Plat.

Gushes out. Cocculus ; Eupi. ; Graph.

H.

Hanging in strings. Hyd.

Headache. Bell. ; Canth. ; Coccul. ; Con. ; Kali bi. ;
Nat. mur.

Headache in open air. Am. carb.

Head, dreadful feeling in. Coccul.
heaviness of. Murex.

Hearing, hardness of. Kreos. ; Lach. ; Nux vom. ;
Puls.

Heart, palpitation of. Baryta carb. ; Cann.

Hemorrhage, like. Ham.

Hoarseness, with. Con.

Hunger, with, at 11 o'clock A. M. Sulph.

Hypertrophy of breasts. Phyto.

I.

Imperceptibly coming away. Agnus.

Increases after each paroxysm of pain. Bell.

Instead of menses. Cocculus ; Phos.

Intolerance of tight clothing. Bov.

Irritability of the system. Acon. ; Carbo. veg.

Itching of genitals. Acid nit. ; Acid phos. ; *Æsculus* ;
Allium ; Alumina ; Ambr. gr. ; Am carb. ;
Anac. ; Anath. ; Cal. acet. ; Cal. carb. ; Carbo.,
veg. ; Carls. ; China ; Coff. ; Coll. ; Cop. ;
Fer. met. ; Hedeo. ; Helon. ; Kali carb. ; Kali
iod. ; *Kreos.* ; Lipps. ; Lyc. ; Merc. viv. ;
Nat. mur. ; Nux vom. ; *Petrol.* ; Plat. ;
Sabina ; *Sep.* ; Sil. ; Sulph.

J.

Jelly-like. Nabulus

L.

Large quantities. Alumina ; Lyc.

Lifting, after. Cal. carb.

Light color. Graph.

Like cream. Cal. phos.

Like lymph. Alumina.

menses coming away. Caust. ; *Kreos.* ; Mag.
sul. ; *Lycopersicon*.

milk. Cal. carb. ; Carbo. veg. ; *Cocculus* ; Lyc.
serum. *Cocculus*.

starch. Bond. ; Bor. ; Puls. ; Sâb.

Linen full of holes. *Iod.*

Linen stains brown. Lil. tig.

Linen stains green. Lach. ; Thuya.

slightly. Fagopy.

yellow. Agn. ; Carbo. an. ; Chel. ; *Kreos.* ;

Nux vom. ; Prun. ; Sepia ; Thuya.

Long standing. Cim.

Lumpy. Ant. crud. ; Psorinum.

Lying down, worse. Ambr. gr.

M.

Meat, like washings of. Bufo. ; Cocculus ; Kali iod.

Membranous. Cyclam.

Memory, loss of. Anac. ; Carbo. veg. ; Can. ; Cubeb. ;

Plumb.

Menses instead of. Cocculus ; Phos.

Mercurial treatment after. Acid nit.

Mild. Acid sul. ; *Kreos.* ; Lam. ; Ran. ; Sulph. ;

Thuya.

Mild dispositions. Ign. ; Puls. ; Sulph.

Milk deficient. Agnus.

Milk-like. Cal carb. ; Carbo. veg. ; Coccul. ; Con. ;

Fer. acet. ; Fer. met. ; Graph. ; Hyper. ;

Kali iod. ; Phos. ; Phyto. ; *Puls.* ; Sab. ;

Saracen ; Sil. ; Teplitz.

Miscarriage, liable to. Plumb.

Moon, full, before. Lyc.

Morning. Aur. sul. ; Bell. ; Carbo. veg. ; Cedron ;

Graph. ; Kalmia ; *Kreos.* ; Mag. mur.

Morning, worse. Cal. phos.

Moth patches. Caulo.

Motion, better during. Acid. phos.; Am. carb.;
Anac.; Arg. nit.; Kali bi.; Kreos.; Nitrum;
Zinc.

worse during. Æscul.; Am. mur.; Ant. crud.;
Baryta carb.; Bry.; Dros.; Phos.; Podo.;
Psor.; Sars.; Teplitz.

Mucus. Acid nit.; Acid phos.; Acid sul.; Aloe.;
Alumina; Ambr. gr.; Ant. crud.; Arg. nit.;
Apis; Ars.; Bap.; *Berb.*; Bond.; Bor.;
Canth.; *Carbo. veg.*; Carls.; Coccul.; Coc-
cus; Coff.; Hyd.; Kali carb.; Kali nit.;
Mag. carb.; Merc. cor.; Merc. viv.; Mez.;
Nat. sul.; Nux vom.; *Oleum.*; Opi.; Phos.;
Plumb.; *Podo.*; Puls.; Raph.; Ratan;
Sars.; Sep.; Stann.; Sulph.; Tart. emet.;
Taxus; Thuya; Tongo; Vös.; Zinc.

Music, dislike to. Carbo. veg.

N.

Navel, pains around. Am. mur.; Lyc.; Mag. carb.;
Nat. carb.; Sil.; Sulph.; Zinc.

pinching around. Mag. carb.

Nervous. Borax; Podo.

Nights, always worse. Merc. viv.

Nights, at. Alumina ; Cal. phos. ; Caust. ; Merc. viv. ;
Nat. carb.

only. Ambr. gr. ; *Carbo. veg.* ; Caust. ; Nat.
mur.

Night or day. Cal. phos. ; Graph.

Noise or bright light aggravates. Bell.

Not relieved by cold washes. Acid mur.

Nymphomania. Raph.

O.

Obliged to scratch. Merc. sol. ; Merc. viv. ; Sulph.

Offensive. *Acon.* ; Acid nit. ; Acid sul. ; Anath. ;
Aralia ; Bap. ; Carbo. an. ; Cubeba ; Curare ;
Kreos. ; Lam. ; Psor. ; Sab. ; Sepia.

Old women. Cal. acet. ; Phos.

Os uteri swollen. Anath. ; Iod.

Ovary, left, painful. Acid pic. ; Lach. ; Lil. tig. ; Pod.
right, painful. Apis. Bell. ; Brom. ; Bry. ; Pod.

Ovaries, stinging pains in. Sepia.

P.

Pains come sudden and go sudden. Bell.

extending to abdomen from back. Plumb.

extending from back to abdomen. *Æscul.*

extending from back to groin. Granat. ; Plumb.

Pains extending from pudendum to thighs. Crocus ;

Graph.

in abdomen from right to left. Lyc.

in hypogastrium. *Nat. carb.*

labor-like. Aur. met. ; Con. ; Dros. ; Ign. ;

Lil. tig.

less during motion. Acid. phos.

shooting upwards. Sepia.

worse at night. Acon.

Painful. Caulo. ; Sepia ; *Sil.* ; *Sulph.*

pressing towards groin and anus. China ;

Graph. ; Helon.

Painless. Acid. sul. ; Lam. ; Nux vom. ; Puls.

Pale. *Tillia.*

waxy women. Ars. ; Fer. acet. ; Ledum ; Lyc.

Palpitation of the heart. *Sulph.*

Paroxysms, in evening. Bond.

Parts excoriating. *See Corrosive.*

itching. *See Itching.*

pressing in. Cinnabar.

soreness of. Acid nit. ; Anac. ; Arg. nit. ;

Baryta carb. ; Bov. ; Cim. ; Iod. ; Kali bi. ;

• Kali carb. ; Phos. ; *Prun.* ; Sep. ; *Sil.* ; Zinc.

swelling of. Canth. ; Coll. ; Fer. acet. ; Iod. ;

Lil. tig. ; Nux vom. ; Puls. ; Thüya.

Personal delicacy, loss of. Phyto.

Poor appetite. Nux vom.

Preceded by colic. Con.; Mag. carb.; Mag. mur.;
Nat. mur.; Sulph.

by heat in the vagina. Bond.

by pains. Cocculus; Con.

around the navel. Am. mur.; Lyc.;

Mag. carb.; Nat. carb.; Sulph.; Zinc.

by stitches in vagina. Ambr. gr.; Sepia.

Pregnancy, during. Cocculus; Coll.; Sil.; Zinc.

Pressure towards anus. China.

in vagina. Cinab.

Profuse. Acid nit.; Acid phos.; Acid pic.; Alu-
mina; Apis; Ars.; Aur. met.; Cal. carb.;
Carbo. veg.; Carls.; Caulo.; Caust.; Chel.;
Coff.; *Graph.*; Guiac.; *Ham.*; Hyd.; Iod.;
Lam.; Ledum; Lil. tig.; Lycoper.; Lyc.;
Mag. mur.; Mag. sul.; Nat. carb.; Nat.
mur.; Nicol.; Petrol.; *Phos.*; Physos.;
Robinia; Sep; Sil.; Zinc.

Prolapsus uteri. Cal phos.; Granat.; *Helon.*; Hyd.;
Opi.; Pod.; Secale.

Pruritis vulva. Canth.; Coll.; Fagopy; Hyd.;
Puls.

Puberty, at. Sepia.

Pudenda to thighs, stitches. Crocus.

burning. Kali carb.'

hot. Helon.

itching. Am. carb.

Pudenda to thighs, smarting. Zinc.

stinging. Zinc.

swelling. Am. carb.

Purulent. Acid nit. ; Alumina ; Anath. ; Bufo ;

China ; Coccul. ; Curare ; Ign. ; Kreos. ;

Robinia ; Sab. ; Sep. ; Solan.

Pus, discharge of. Merc. sol.

Putrid. Kali iod. ; Nat. carb.

R.

Rash on parts. Lil. tig. ; Sulph.

Red discharge. Phos. ; Sepia.

Relieved by cold washes. Acon. ; Alumina ; Sulph.

by walking. Alumina.

is not, by scratching. Acid mur.

Rigid fibre. Con.

Right to left, pains extending. Lyc.

side affected. Am. carb.

Rising, upon. Carbo. veg. ; Nux vom. ; Sulph.

Rub the parts, must. Ambr. gr.

Running down to the heels. *Alumina.*

S.

Sanguinolent. Baryta carb. ; Cocculus ; Sepia.

Scanty. Agnus ; Allium ; Curare ; Mag. carb. ;

Sulph.

Scratch, is obliged to. Merc. sol. ; Merc. viv. ; Sulph.

Sensation as if everything would issue from the
uterus. Bell. ; Ant. crud.

as if the menses would appear. Crocus.

as if a stone were in the abdomen. Coccul.

of warm water running down. Borax.

Sensitive. Nux vom.

Serum, like. Bond. ; Coccul. ; Helon.

Shooting upwards, pains. Acid nit.

Shoulders, gripping between. Am. carb.

Sitting, when. Ant. tart. ; Graph. ; Nux vom. ; Tart.
emet.

Sleeps badly unless she retires early. Am. carb.

Sleepless. Acid nit. ; Ars. ; Bell. ; Cal. carb. ; China ;
Graph. ; Lach. ; Nux vom. ; Plat. ; Podo. ;
. Sulph.

Sleepy. Am. carb.

Slight. Fagopy.

Smarting. Allium ; Berb. ; Carls. ; Cham. ; Con. ;
Curare ; Fer. acet. ; Hepar ; Kali carb. ;
Lach. ; Lam. ; Merc. viv. ; Nat. mur. ; Phos. ;
Sil. ; Stann. ; Sulph. ; Zinc.

Smelling bottle, she wants, and says it does her good.
Am. carb.

Smelling like ammonia. Am. carb.

Soreness of parts. Acid nit. ; Am. carb. ; Anac. ;
Arg. nit. ; Baryta carb. ; Bov. ; Cim. ; Iod. ;

Kali bi. ; Kali carb. ; Phos. ; *Prun.* ; Sep. ;
Sil. ; Zinc.

Spasms from abdomen to chest. Coccul.

Squatting down, when. Coccul.

Stains linen. *See Linen.*

Standing, when. Ars. ; Kreos.

Starch, like. Bond. ; Borax ; Puls. ; Sabina.

Sticky. *Æscul.* ; Petrol.

Stitches in pudendum. Crocus.

in vagina. Acid nit.

Stomach, burning in. Ars. ; *Kali iod.*

Stone, sensation of, in abdomen. Coccul.

Stringy. *Acid nit.* ; Hyd. ; *Kali bi.*

Suited to old maids. Con.

to tall, slender, phthisical patients. Phos.

to thin, scrawny women. Secale.

to weak, sickly, delicate females. Am. carb.

Caust. ; Iod. ; Mang.

Swallowing, difficult. Alumina.

only small pieces. *Alumina.*

Swollen, genitals. Canth. ; Cal. phos.

System, irritability of. Acon. ; Carbo. veg.

T.

Takes cold easily. Acid. nit.

Talk, does not wish to, nor to hear others. Am.
 carb. ; Ant. crud.

Talks much and rapidly. Lach.

Taste, alkaline. Kal.

flat or tasteless. Alumina.

insipid. Alumina ; Puls.

Tenacious. Acid nit. ; *Acon.* ; *Bov.* ; Chel. ; Hyd. ;
Kali bi.

Tendency to abortion. Aletris ; Apis.

Thick. *Æscul.* ; Ambr. gr. ; Anath. ; Ars. ; Aur.
met. ; Aur. sul. ; Bor. ; Bov. ; Bufo ; Canth. ;
Carbo. veg. ; Castor. ; *Con.* ; Curare ; Hyd. ;
Impond. ; Kali bi. ; Mag. mur. ; Mag. sul. ;
Nat. carb. ; Nat. mur. ; *Podo.* ; *Puls.* ; *Sepia* ;
Zinc.

Thighs, biting in. Ant. crud.

sore. Ant. crud. ; Aur. met. ; Baryta carb. ;
Bov. ; Iod. ; Kali iod. ; *Sepia* ; Sulph.

Thin mucus. Acid phos. ; Coccul. ; Graph. ; Im-
pond. ; Iod. ; Kali iod. ; Kali nit. ; Lil. tig. ;
Mag. carb. ; *Oleum* ; *Puls.* ; Sulph.

Thin, scrawny women. Secale.

Thirsty. Acon.

Tight build. Con.

Tight clothing, cannot bear. *Bov.*

Tire easily. *Ars.*

Tired feeling. Acid mur. ; Hyd.

Tongue always dry in the morning. *Nux mos.*

Transparent mucus. Acid sul. ; Agn. ; Alumina ;
Nat. mur. ; *Podo.* ; Stann.

U.

Ulceration of os uteri. Bap. ; Iod. .

Ulcers on parts. Zinc.

on vagina. Acid nit.

Umbilicus, pain around. Nat. carb.

Uterine region, weakness in. Cal. phos.

Uterus, congestion of. Arg. nit.

hypertrophy of. Phyto.

prolapsus of. Cal. phos. ; Granat. ; *Helon.* ;

Podo. ; Puls. ; Secale.

sensitive. Aur. sulph.

spasms of. Mag. mur.

stitches in. Con. ; Sepia.

V.

Vagina, burning in. Aur. met. ; Iod. ; Kreos.

dry. Lyc.

hot. Cubeba.

inflamed. Cubeba ; Lyc.

itching in. Aur. mur.

prolapsus of. *Granat.*

raw. Kali bi.

stitches. Acid nit.

stitches shooting upwards. Acid nit.

- Vertigo. Alumina; *Cal. carb.*; Coccus; Con.;
 Hyper; Iod.; Kali bi.; Lach.; Phos.
 on rising up. Acon.
- Violent. *Am. carb.*; *Sulph.*
- Virulent. *Am. carb.*; Bap.
- Viscid. Acon.; Cyc.; Hyd.; Tartar emet.
- Vulva, burning in. Aur. mur.
 itching in. Alumina; Aur. mur.; Aur. sul.
 red. Aur. sul.
 swollen. Aur. sul.

W.

- Walking relieves. Alumina.
 when. Acid nit.; Æscul.; Kreos.; Lipps.;
 Tongo; Sep.; Zinc.
- Warm water running down, like. Borax.
- Warts. Caust.; Thuya.
- Washing in cold water aggravates. Ant. crud.
 relieves. Alumina; Sulph.
 like meat. Bufo; Coccus; Kali iod.
- Water, cold, disagrees. Ars.
- Weakening. Caust.; Kreos.; Phos.; Podo.; Prun.;
 Tab.; Tarentula.
- Weak knees. *Cal. carb.*
 when talking. *Cal. carb.*; Stann.
 patients. Ars.; Iod.

When bending down. Coccus.
 emitting flatulence. Ars.
 lifting. Cal. carb.
 lying down. Puls.
 rising up. Carbo. veg.
 sitting. Graph. ; Nux vomica ; Tart. emet.
 squatting down. Coccus.
 standing. Ars. ; Carbo. an. ; Kreos.
 urinating. Cal. carb. ; Canth. ; Con.
 walking. Acid nit. ; Bov. ; Carbo. an. ; Graph. ;
 Kreos. ; Nat. mur. ; Phos. ; Sars. ; Sep. ;
 Stront. ; Tillia ; Zinc.

Which can be drawn out. Acid nit. ; Kali bi.

White. Aloes ; Ambr. gr. ; Anath. ; Aur. met. ; Bell. ;
 Borax ; Bov. ; Bufo ; Cal. carb. ; Carbo.
 veg. ; Chel. ; Gels. ; *Graph.* ; Kali iod. ;
 Kali nit. ; Kreos. ; Mag. carb. ; Merc. viv. ;
 Nabul. ; Nat. mur. ; Nitrum ; *Oleum* ; Phos. ;
 Puls. ; Sil. ; Stann. ; Tartar emet.

White of egg, like. Bor. ; Bov. ; Cal. phos. , Petrol. ;
 Platina.

With colic. Bell. ; Caust. ; Coccus ; Crocus ; Con. ;
 Cubeba ; Dros. ; *Kreos* ; Plat. ; Puls.
 chlorosis. Phos.
 debility. Aralia ; Ars. ; Bap. ; Baryta carb. ;
 Berb. ; *China* ; Con. ; Iod. ; Kreos. ; Oleum ;
Stann.

- With eruptions. Aur. met. ; Kali carb. ; Lil. tig. ;
 Nux vomica ; Sulph.
 headache. Bell. ; Canth.
- Worse afternoons. Cham. ; Lil. tig.
 after eating. Carbo. veg. ; Cham.
 after stool. Zinc.
 at four o'clock, P. M. Lyc.
 at night. Acon. ; Cham. ; Caust. ; Helon. ;
 Mag. carb. ; Podo. ; Prun. ; *Sulph.*
 at rest. Am. carb. ; Am. mur. ; Bry.
 by cold. Acid nit.
 by cold water. Ars.
 by cold washes. Ant. crud.
 by motion, bending, walking, stooping, etc.
 Acid phos.
 sitting. Alumina ; Ant. tart.
 during menses. Ars. ; Cal. phos. ; Iod. ; Phos. ;
 Puls. ; Sil. ; Thuya ; Zinc.
 during pain. Bell.
 in daytime. Am. carb.
 in evening. Am. Carb. ; Baryta carb. ; Kali
 bi. ; Ledum ; Lyc. ; Naja ; Sulph. ; Tobac.
 in evening, pains in ovary. Acid. pic.
 in open air. Am. carb.
 lying down. Ambr. gr. ; Ars. ; Puls. ; Ruta.
 mornings. Bell. ; Coccul. ; Cham. ; Nux vom.
 rising from a seat, or from stooping. Anac. ;

Apis ; Arg. nit. ; Arn. ; Berb. ; Cal. carb. ;
Caust.

Worse sitting. Ant. crud. ; Apis ; Arg. nit. ; Berb. ;
Bor. ; Carbo an. ; Coff. ; Dros. ; *Graph.* ; Kali
iod. ; Lach. ; Nat. carb. ; Petrol. ; Prun. ;
Ratan. ; Sil. ; Zinc.

standing Coff. ; Kreos.

stooping. Æscul. ; Bor. ; Bov. ; Ruta ; Sepia.

washing with cold water. Ant. crud.

Y.

Yellow. Acid phos. ; Acid pic. ; Æscul. ; Alumina ;
Anath. ; Aur. mur. ; Aur. sul. ; Bov. ; Bufo ;
Carbo. an. ; *Carbo. veg.* ; *Cham.* ; Cubeba ;
Granat. ; Hedeo. ; Hyd. ; Iod. ; Kali bi. ;
Kali carb. ; Kali iod. ; Kalmia ; Lil. tig. ;
Murex ; Nat. carb. ; Nux vom. ; Phos. ; Sab. ;
Sep ; Solan. ; Stann. ; Sulph. ; Thuya.

Young girls. Cal. carb. ; Puls.

MENSES.

Acrid. Aur. mur.; Kali carb.; Petrol.; Mag. carb.;
Sarsap.

After menses, leucorrhœa. Acid nit.; *Acid phos.*;
Æscul.; Alumina; Anath.; Ars.; Bor.; Bov.;
Bufo; Cal. phos.; Cann. sat.; Canth.; Carls.;
Coccul.; Con.; Copav.; Graph.; Kalmia;
Kreos.; Lil. tig.; *Mag. carb.*; Phos.; Puls.;
Ran.; Sang.; Tobac.

Before menses, leucorrhœa. Acid phos.; Alumina;
Baryta carb.; Bov.; Bufo; *Cal. carb.*;
Carbo. veg.; China; Coccul.; Fer. acet.;
Graph.; Kalmia; Kreos.; Lach.; Mag.
mur.; Puls.; Sulph.; Thuya; Zinc.

Before menses, chills. Kali carb.
headache. Carbo. an.; Nat. carb.
toothache. Baryta carb.

Black. Am. carb.; China; Ign.; *Mag. carb.*; Mag.
mur.; Nitrum; *Oleum*; Puls.

Bright. Bell.; Phos.

Cease suddenly. Ant. crud.

Clotted. Bufo; Caust.; Cham.; China; Crocus;
Ign.; Lyc.; Mag. mur.; Plat.; Sabina.

Coagulated. Arg. nit. ; Cim.

Colic, preceded by. Am. carb. ; Nux mos.

with. Borax ; Carbo. ; *Caust.* ; Nat. sul. ; Nitrum.

Corrosive. Carbo. veg.

Dark. Arg. nit. ; Bry. ; Cal. phos. ; Carls. ; Cim. ;
Crocus ; Lyc. ; Plat. ; Puls.

During menses, beating in head. Borax.

chills. Bufo.

hardness of hearing. Kreos. ; Lach. ; Nux mos. ; Puls.

headache. Arg. nit. ; Bufo ; Brom. ; Cal. carb. ;
Carbo. veg. ; Con. ; Curare ; Kreos. ; Lach.

breasts sore. Con.

leucorrhœa. Ars. ; Iod. ; Phos. ; Puls. ; Thuya ;
Lil. ; Zinc.

pain in back. Aur. mur ; Puls.

bowels. Puls.

pressing in anus. Impond.

rush of blood to head. Bell. ; Cal. carb.

toothache. Acid nit.

vertigo. *Cal. carb.*

Excoriating the thighs. Allium.

Feeble. Lach. ; Nicol.

Fetid. Acon. ; Lyc.

Headache with. Arg. nit. ; Bufo ; Brom. ; Cal. carb. ;
Carbo. veg. ; Con. ; Curare ; Kreos. ; Lach.

Increased. Acon. ; *Castor.* ; Iod. ; Kreos. ; Lil.

In clots. Mag. mur.

Irregular. Coccul. ; Kalmia ; Iod. ; Opi.

Leucorrhœa instead of menses. Coccul. ; Phos.

Membranous. Cham.

Menses only in daytime. Caust.

 * the morning. Bovista ; Carbo. an.

Nausea. • Puls.

Night worse. Am. carb.

Offensive. Caust. ; Cham.

Pale. Alumina ; Baryta carb. ; Carbo. veg. ; Copav. ;
Sulph.

Painful. *Am. mur.* ; *Cauro.* ; Carls. ; *Caust.* ; Chel. ;
Cim. ; Coll. ; Gels. ; Graph. ; Kali carb. ;
Lach. ; Nat. sul. ; Nicol. ; Oleum ; Prun. ;
Puls. ; Sab. ; Secale.

Pelvis, sense of fulness in. *Aloes.*

Premature. *See Too early.*

Preceded by colic. *Am. carb.* ; *Nux mos.*

by headache. *Carbo. an.* ; *Nat. carb.*

Profuse. *Acid mur.* ; *Acid nit.* ; *Acid sul.* ; *Acon.* ;
Am. carb. ; *Ant. crud.* ; *Arg. nit.* ; *Ars.* ;
Aur. mur. ; *Bap.* ; *Baryta carb.* ; *Bell.* ;
Bry. ; *Bufo* ; *Canth.* ; *Cal. carb.* ; *Cann.* ;
Carbo. an. ; *Carbo. veg.* ; *Caulo.* ; *Chel.* ;
China ; *Coccul.* ; *Coll.* ; *Granat.* ; *Hepar* ;
Ign. ; *Iod.* ; *Kreos.* ; *Lyc.* ; *Mag. carb.* ;
Merc. cor. ; *Merc. sol.* ; *Merc. viv.* ; *Nat.*
sul. ; *Nicol.* ; *Phyto.* ; *Plat.* ; *Ran.* ; *Ruta* ;
Sabina.

Rectum, full sensation in. *Aloe.*

Scanty. *Alumina* ; *Ant. tart.* ; *Baryta carb.* ; *Berb.* ;
Bor. ; *Bov.* ; *Cal. phos.* ; *Caust.* ; *Cim.* ; *Coc-*
cul. ; *Copav.* ; *Curare* ; *Graph.* ; *Ign.* ; *Kali*
carb. ; *Lach.* ; *Lil. tig.* ; *Lyc. Mez.* ; *Mill.* ;
Nat. mur. ; *Nat. sul.* ; *Nicol.* ; *Oleum* ; *Pet-*
rol. ; *Phos.* ; *Platina* ; *Puls.* ; *Sars.* ; *Sepia.*

Sensation as if they had appeared. *Apis.*

Strong odor. *Carbo. veg.*

Suppressed. *Agnus* ; *Bry.* ; *China* ; *Cim.* ; *Cocculus* ;
Con. ; *Dros.* ; *Graph.* ; *Kali carb.* ; *Kali iod.*

Kali nit. ; Lyc. ; Merc. viv. ; Nitrum ; Plat. ;
 Podo. ; Puls. ; Ran. ; Sabina ; Sang.

Suppressed, of Irish emigrants. Platina.

Thick. Arg. nit. ; Carbo. veg. ; Mag. carb. ; Puls.

Thighs excoriated. Allium.

Too early. *Acid mur.* ; *Acid nit.* ; Acid sul. ;
 Allium ; Aloes ; Alumina ; Ambr. gr. ;
 Am. carb. ; Am. mur. ; Ant. crud. ; Ant.
 tart. ; Arg. nit. ; *Ars.* ; Aur. mur. ; Bap. ;
 Bell. ; Bor. ; Bov. ; Brom. ; Bry. ; Bufo ; Cal.
 carb. ; Cal. phos. ; Canth. ; Carbo. an. ; Car-
 bo. veg. ; Carls. ; Castor. ; Caulo. ; Caust. ;
 Cham. ; China ; Con. ; Fagopy ; *Iod.* ;
 Kali bi. ; Kali carb. ; Kreos. ; *Lam.* ; Lil.
 tig. ; Lyc. ; Mag. carb. ; *Mag. sul.* ; Nat.
 mur. ; Nicol. ; *Nux mos.* ; Nux vom. ; Oleum ;
 Petrol. ; Phos. ; Phyto. ; *Plat.* ; *Prunus* ;
 Puls. ; Ran. ; Ratan. ; Ruta ; Sab. ; Sep. ;
 Sil. ; Stront. ; Sulph.

Too late. Acid phos. ; Acid sul. ; Apis ; Aur. met. ;
 Bond. ; Bor. ; Bov. ; Caust. ; Chel. ; Fag-
 opy ; Fer. acet. ; Gels. ; Graph. ; Hepar ;
 Hyper. ; Ign. ; Iod. ; *Lach* ; Mag. carb. ;
 Mag. sul. ; *Nat. mur.* ; Nat. sul. ; Nicol. ;
Nux mos. ; Petrol. ; Phos. ; Sars. ; Sep. ;
 Sulph.

Too long. Aloes ; Arg. nit. ; Cal. carb. ; Cal. phos. ;

Crocus ; Lyc. ; Plat. ; Puls. ; Secale.

Too short. Alumina ; Ant. tart. ; Carbo. an. ; Gra-

nat. ; Lach. ; *Mag. sul.* ; Nicol. ; Puls. ;

Stront.

Toothache before menses Baryta carb.

With pain in back. Caust. ; Nux mos. ; Prunus ;

Puls. ; Stront.

Worse when sitting. Mag. mur.

when standing. Mag. carb.

Vomit, disposition to. Puls.

URINE.

Abundant. Agnus.

Acid. Bap.

Acrid. Bap.

After urinating, a few drops come away. *Arg. nit.*
burning. Ledum.

smarting. Caust.

Albuminous. Merc. cor.; Plumb.

At night. Acid nit.; Alumina; Am. carb.; Ant.
crud.; *Cal. carb.*; Cinab.; Gels.; Graph.;
Hyper.; Ledum; Lil. tig.; *Mag. sul.*; *Nux*
mos.; Nux vom.; Podo.; Prun.; Sang.;
Sil.; Sulph.; Tobac.

Bloody. Ant. tart.; Berb.; Canth.; Carbo. veg.;
Cubeba; Thuya.

Brown. Acid nit.; Bry.; Cal. carb.; Merc. viv.;
Prunus.

sediment. *Æscul.*; Alces; Ant. tart.

Burning. Kali iod.; Ledum; Mag. mur.; Nat. carb.
See Painful.

Color dark. Acid nit.; *Æscul.*; Arn.; Bap.; Cal.
carb.; Carbo. veg.; Chel.; China; Ham.;
Hedeo.; Hepar; Phyto.; Plumb.

Color light. Caust. ; Chel. ; Ham. ; Hedeo. ; Hepar ;
 Iod. ; Lil. tig.
 straw. Caulo. ; China ; Hepar ; *Iod.* ; Zinc.
 Colorless. Ars. ; Caust. ; *Cham.* ; Cim ; Cinab. ;
 Gels. ; Ign. ; Mag. carb. ; Puls.
 Constant discharge. Anac.
 Copious. Am. carb. *See Profuse.*
 Cutting in abdomen with. Acid nit

Dark. Cal. phos. ; Iod.

Desire after urinating. *Bov.*

constant. Anac. ; Brom.

diminished. Anac. ; Ant. crud. ; ~~Ast.~~ ; Bap. ;
 Castor. ; China ; Coccul. ; Dros. ; Ham. ;
 Kali nit. ; Kreos. ; Lil. tig. ; Mag. mur. ;
 Merc. sol. ; *Nux mos.* ; Podo. ; *Prunus* ;
 Sars. ; Sil. ; Stront.

frequent. Acid nit. ; *Acid phos.* ; Am. mur. ;
 Anac. ; Ant. crud. ; Ars. ; *Bell.* ; Bor. ;
Bov. ; Carbo. veg. ; Caust. ; Coccul. ; Dros. ;
Guia. ; Hepar ; Hyd. ; Kali carb. ; Kali
 iod. ; *Kreos.* ; Lach. ; *Lam.* ; Lil. tig. ;
 Lipps. ; Merc. cor. ; Merc. sol. ; Merc. viv. ;
 Mill. ; *Nat. mur.* ; *Puls.* ; Rañan. ; Sang. ;
 Sars. ; Sep. ; Sil. ; Stront. ; *Sulph.*

great. Carbo. veg. ; *Lipps.*

Desire, sudden. Bor. ; Guiac. ; Kali carb. ; Nat. mur. ;
Lipps.

Diminished. Kali nit. ; Podo ; Stront.

Discharge in small quantities. Ant. crud. ; *Arg. nit.* ;
Bor. ; *Canth.* ; Coff. ; *Dros.* ; Oleum ; Ra-
tan. ; Sab. ; Sep.

Dribbling. *Arg. nit.* ; Brom. ; Coff. ; Petrol.

Drops as if come away. Sepia.

come away after. *Arg. nit.* ; Bov.

last ones bloody. Ant. tart.

last ones passed with difficulty. Fagopy.

During sleep. Ars.

Emission of a few drops. Plumb.

Enuresis. Podo. ; Tobac.

Fetid. Acid nit. ; Cal. carb. ; Sulph.

Foaming. *Chel.* ; *Lach.*

Frequent. *Acid phos.* ; *Acid mur.* ; *Æscul.* ; Am.
carb. ; Ant. crud. ; Ars. ; Aur. mur. ; Baryta
carb. ; Bor. ; *Canth.* ; Cal. carb. ; Carls. ;
Caust. ; China ; Cinab. ; Coccul. ; Con. ;
Dros. ; Gels. ; Graph. ; Hepar ; Hyd. ; *Ign.* ;
Impound. ; Kreos. ; *Lach.* ; Lil. tig. ; Nat.
carb. ; Petrol. ; Ruta ; Sang. ; Sars. ; Sulph.

Frequent at night. Acid. nit. ; Am. carb. ; Cal.
carb. ; Lycopersicum.

Grayish, sand in. Sars.

Green. China; Kali carb.; Mag. carb.

Heat, with. Æscul.; Aloe; Lil. tig.; Mez.

Inability to urinate. *Mag. carb.*

to urinate only with stool. Alumina.

Increased. Ambr. gr.; Ars.; Bap.; Hyd.; Phyto.;
Lipps.

Ineffectual desire. Nux vom.

Intermits. Con.; Ledum.

Involuntary. Ars.; Bor.; Carbo. an.; *Cham.*; Con.;
Fer. acet.; Mag. carb.; *Nat. mur.*; Phos.;
Podo.; *Puls.*; Ruta; Tobac.

at night. Ars.; Podo.

in daytime. Fer. acet.

when walking. *Nat. mur.*

Milky. Iod.

More than water drank. Aur. met.

Morning, in. Am. mur.; Lil. tig.

Mucus. Berb.

Night, at. Acid nit.; Alumina; Am. carb.; Ant. crud.;
Cal. carb.; Cinab.; Gels.; Graph.; Hyper.;
Lil. tig.; Mag. sul.; Nux mos.; Nux vom.;
Podo.; Prun.; Sang.; Sil.; *Sulph.*; Tobac.

Odor strong. Acid nit.; Am. carb.; Bufo; Kali iod.; Merc. viv.

Painful. Acid nit.; Acid phos.; Aur. met.; Berb.; Cal. phos.; Cann.; *Canth.*; Caust.; Coll.; Cop.; Hedeo.; Lil. tig.; Lyc.; Mag. mur.; Nat. carb.; Nux vom.; Plumb.; Sars.; Sep.; Tartar emet.; Thuya.

Painless suppression. Acid nit.

Passes slowly. Carbo. veg.; Coff.; Dros.; Petrol.; Sabina.

Pressure upon the bladder. Am. carb.

Profuse. Acid mur.; Æscul.; Allium; Alumina; Am. carb.; Ant. crud.; Apis; Ars.; Aur. met.; Bap.; *Canth.*; Cal. phos.; Carbo. an.; Carls.; Caulo.; Cham.; Cim.; Cinab.; Fagopy; Gels.; Hyd.; Kal.; *Kreos.*; Lach.; Ledum; Lil. tig.; *Nat. carb.*; *Nat. sul.*; Phyto.; Raph.; Sang.; Stann.; Sulph.

Red. Acon.; Aur. sul.; Carbo. veg.; *Canth.*; Kali bi.; Kali iod.; Merc. viv.; Nux vom.; Phyto.; Plat.; *Sep.*; *Tartar emet.*; Taxus; Thuyæ

Retention of. Acid nit.; *Acid sul.*; Aur. met.; Bell.; *Canth.*; Hedeo.; *Iod.*; Puls.; Sab.; Sec.; Stann.

Scanty, Acon. lyc. ; Alumina ; Ant. tart. ; Apis ;
 Ars. ; Bry. ; Bufo ; Canth. ; Castor. ; China ;
 Coccul. ; Ham. ; Lam. ; Lil. tig. ; Mag. mur. ;
 Nux. mos. ; *Plumb.* ; Podo. ; Sars.

Sediment brick-dust. Acon. lyc. ; Alumina ; Arn. ;
 Aur. sul. ; China ; Lyc. ; Lil. tig. ; Mezer. ; *Nat.*
mur. ; *Nat. sul.* ; Nux vom. ; Phos. ; *Sepia.*

brown. *Æscul.*

dark. Brom.

gray. Berb. ; Sars.

sandy. Aur. sul. ; Lyc.

white. *Æscul.* ; Allium ; Alumina ; Am. carb. ;
 Berb. ; Cal. carb. ; Iod. ; Mag. carb. ; Merc.
 viv. ; Phos. ; Phyto. ; Plat.

yellow. Lyc. ; *Nat. sul.*

Smells sour. Merc. viv.

strong. Acid nit.

Spasms of bladder. *Prunus.*

Stains linen brown. Acid nit.

yellow. Bell.

Starts slow. *Prunus.*

Stinging in urethra. *Granatum.*

Strangury. Canth. ; Con. ; *Taxus.*

Straw color. Caulo.

Strain, has to. Alumina.

Suppression. Hedeo. ; Podo. ; *Secale.* ..

Suppression painful. Aur. met.
painless. Acid nit.

Tenesmus of bladder. Arn. ; Granat. ; Hedeo. ;
Plumb. ; *Sars.*

Thick. Aur. sul ; Curare.

Thirstless. Apis.

Turbid. Ambr. gr. ; Chel. ; Graph. ; *Iod.* ; *Kali carb.* ;
Sep. ; Zinc.

Urethra, burning in. Ant. tart.
cutting in. Granat.

Urging ineffectual. Nux vom.
nightly. Nux vom.

to. Hyper. ; Kali iod. ; Lach. ; Lam. ; Nux
vom. ; *Oleum* ; Ratan. ; Sulph.

Yellow. *Æscul.* ; Ars. ; Bell. ; Carbo. an. ; China ;
Hepar ; *Lach.* ; Lyc. ; Raph.

STOOL.

Abdomen, cutting in. *Nicol.*

Abdomen feels as full of stones. *Ant. tart.*

Action of rectum weak. *Alumina.*

After stool, burning. *Bov.*

itching. *Bov.*

Anus, burning or cutting in. *Acid mur.*; *Æscul.*;

Aloes; *Am. carb.*; *Ars.*; *Aur. met.*;

Berb.; *Bov.*; *Brom.*; *Cal. carb.*; *Canth.*;

Carbo. an.; *Carbo. veg.*; *Castor.*; *Coccul.*;

Crocus; *Graph.*; *Hepar*; *Kali. carb.*;

Lach.; *Lil. tig.*; *Mag. mur.*; *Mag. sul.*;

Ratan.; *Ruta*; *Zinc.*

creeping in. *Hepar*; *Ratan.*

itching in. *Acid mur.*; *Æscul.*; *Bov.*; *Cal.*

carb.; *Carbo. veg.*; *Granat.*; *Graph.*; *He-*

par; *Kali carb.*; *Nicol.*; *Ratan.*

pressing in. *Impond.*; *Kali nit.*

prolapsus of. *Æscul.*; *Podo.*; *Ratan.*; *Ruta*;

Sepia.

smarting. *Acid mur.*; *Lil. tig.*

sore. *Acid mur.*; *Tobac.*

stinging in. *Acid mur.*; *Nicol.*

swelling of. *Cubeba.*

Ascarides with. *Mag. carb.*

Before stool, pain around navel. Am. mur.

Better after stool. Cinab.

lying down. Ars.

Black. Brom. ; Impond.

Bloody. *Acid mur.* ; Acid nit. ; Am. carb. ; Ant.
crud. ; Canth. ; Carbo. veg. ; Castor. ; Con. ;
Ham. ; Iod. ; Lam. ; Merc. cor. ; Nat. carb. ;
Nat. mur. ; Nat. sul. ; Petrol.

Bowels, dull pain in. Allium.

Burning in rectum. Ars.

piles. Æscul.

stools. Bufo ; Hepar ; Mag. mur.

Changeable stools. Podo.

Chills with. Baryta carb.

Colic with. Ant. tart. ; Cubeba ; Hepar ; Mez. ; Nat.
carb. ; Nicol. ; Plumb. ; Ran. ; Tobac.

Constant desire. Acid nit. ; Aloes.

Copious. Caulo. ; Chel.

Costive. Acid mur. ; Acid nit. ; Am. carb. ; Ant.
crud. ; Canth. ; Carbo. veg. ; Castor. ; Con. ;
Ham. ; Iod. ; Lam. ; Merc. cor. ; Nat. carb. ;
Nat. mur. ; Nat. sul. ; Nux vom. ; *Petrol.*

Cutting pain in sacrum. Allium.

Crumbling stool. Mag. mur.

Dark stool. Iod.

Daytime, in. Am. mur.

Debility after. Aloes.

with. *Secale*.

Delaying. Acid nit. ; Acid sul. ; Carbo. an. ; Kali nit. ; *Sil.* ; *Sulph.*

Desire, constant. *Acid nit.* ; Aloes.

frequent. Acid phos. ; *Anac.* ; Caulo. ; Caust. ;
Fer. acet. ; Merc. viv. ; Nux vom. ; Ruta.

Diarrhœa. Acid phos. ; Aloes ; Alumina ; Am. carb. ;
Am. mur. ; Ant. crud. ; Ant. tart. ; Apis ;
Ars. ; Aur. met. ; Aur. mur. ; Bap. ; Bov. ;
Brom. ; Cim. ; Coff. ; Cub. ; *Fer. acet.* ;
Granat. ; Hepar ; Hyd. ; Iod. ; Kali nit. ;
Kali iod. ; Kalmia ; Lach. ; Ledum ; Lil.
tig. ; Mez. ; Mill. ; Nat. mur. ; Nat. sul. ;
Petrol. ; Plumb. ; Prunus ; Puls. ; Sab. ; Sang ;
Secale ; *Sep.* ; Tobac. ; Tart. emet.

at night. Aur. met. ; Nux mos.

Difficult stool. Cal. phos. ; Graph. ; Mag. mur. ; Nux
mos. ; Oleum ; Plat. ; Ratan. ; Ruta ; Stann. ;
Sulph.

Dry stool. *Æscul.* ; Bry. ; Podo. ; Zinc.

Dull pain in bowels. *Allium*.

Dysentery. Plumb.

Fainting after stool. Aloes.

during stool. Borax ; Coccùlus.

Fetid stool. Arg. nit. ; Impond.

Flatulence with. Carbo. veg. ; Tobac.

noisy. Arg. nit. ; Lyc.

relieved by evacuating. Carbo. veg. ; Mag.
carb.

not relieved by evacuating. China.

Foamish. Iod.

Followed by pains. Am. carb.

Frequent stools. Arn. ; Baryta carb. ; *Fer. acet.* ;
Granat. ; *Puls.*

Glutinous. Platina.

Gray. Acid phos.

Green. Arg. nit. ; Bell. ; *Cham.* ; Cal. phos. ; Hyd. ;
Kali iod. ; *Mag. carb.* ; Mag. mur. ; Podo.

Hard. Acid nit. ; Am. carb. ; Bry. ; Carbo. veg. ;
Castor. ; China ; Con. ; Hyper. ; Iod. ; Kali
nit. ; *Lach.* ; Lam. ; Mag. carb. ; *Mag. mur.* ;
Mag. sul. ; *Nat. mur.* ; *Nat. sul.* ; Phos. ; Podo. ;
Prunus ; Ran. ; Ratan. ; Sulph.

Headache with stools. Cal. phos. ; Con.

Inaction of bowels. Nux vom.

In daytime. *Am. mur.* ; *Anac.*

In morning. Bov. ; Lil. tig. ; Plat. ; Puls.
pieces. Guiac.

Ineffectual. Con.

Intermittent. Graph. ; Kreos. ; Stront.

Involuntary. Ruta.

Itching of rectum. Æscul. ; Carbo. veg. ; Ratan.

Knotty. Iod.

Large. Æscul. ; Bry. ; Prunus.

Light color. Cal. carb. ; Chel. ; Hyd.

Like little balls. Kali nit. ; *Lach.* ; *Nux vom.* ; *Plumb.*

Liquid. Ant. crud. ; Chel. ; Impond. ; Secale.

Long pressing at stool. Acid nit.

Long slim stools. Phos.

Loose. Æscul. ; Am. mur. ; Aur. mur. ; Bap. ;
Baryta carb. ; Bor. ; Cal. carb. ; China ;
Coccul. ; Curare ; Dros ; Fagopy ; Gels. ;
Guiac. ; Lil. tig. ; Nux vom. ; Puls. ; Thuya.

Morning, worse. Allium ; Ant. crud.

Moving, worse. *Apis.*

Mucus. Ant. crud. ; *Arg. nit.* ; Canth. ; *Castor.* ;
Chel. ; Graph. ; Guiac ; Hyd. ; Ign. ; Iod. ;
Ledum ; Nux vom. ; *Petrol.* ; Puls. ; Secale ;
Sulph.

Mushy. Bap.

Offensive. Ant. tart.; Arg. nit.; Bufo; Curare;
Impond.

Painful. Baryta carb.; Carbo. an.; Ham.; Ign.;
Merc. cor.; Mill.; Secale; Tobac.

Pains around navel. Am. mur.
before; better after. Canth.; Cinab.
in bowels. Kali bi.
in perineum. Lyc.

Papescent. Carls.; Dros.; Gels.; Kali carb.; Mag.
mur.; Plat.

Piles. *Acid mur.*; *Æsculus*; *Aloes*; Am. carb.;
Am. mur.; *Carbo. an.*; Graph.; Ham.;
Kali carb.; Ruta.

Pressing long at stool. Acid nit.

Prostration, great, with. *Secale*.

Rectum, burning or cutting in. *Acid mur.*; *Æs-*
cul.; *Aloes*; Am. carb.; Ars.; Aur.
met.; Berb.; Bov.; Brom.; Cal. carb.;
Canth.; Carbo. an.; Carbo. veg.; Castor.;
Coccul.; Crocus; Graph.; Hepar; *Kali*
carb.; Lach.; Lil. tig.; Mag. mur.; Mag.
sul.; Ratan.; Ruta; Zinc.

itching in. *Æscul.*; Aur. met.; Cal. carb.;
Granat.; Lach.; Nicol.; *Ratan.*

protrusion of. *Podo.*; *Ruta*; *Sepia*.

Rectum, smarting in. *Acid mur.*

stinging in. Nicol.

stitches in. Carbo. an.

want of action. Alumina.

Retarded. Am. carb.

Retention of. *Acid sul.*; *Am. carb.*; *Nat. mur.*

Sacrum, cutting in. Allium.

Scanty. Acid nit. ; Cann. ; Canth. ; *Carbo. an.* ; Con. ;

Kali carb. ; Lam. ; Plumb. ; Taxus ; Zinc.

Shuddering during. Bell.

Size of lumbrici. Graph. ; Phos.

Slimy. Arn. ; Borax ; Cal. phos. ; Sulph.

Sluggish. Lyc. ; Plumb.

Small. Arn. ; Bor. ; Phos. ; Nux vom. ; Taxus.

Soft. Bor. ; Canth. ; Cal. phos. ; Carls. ; Cinab. ; Coc-

cul. ; Guiac. ; Kali carb. ; Kali nit. ; Mag.

mur. ; *Mag. sul.* ; *Nat. carb.* ; Nicol.

Solid excrements with. Ant. crud.

Straining much. Allium ; *Nux vom.* ; Ratan.

Stool comes to the verge of the anus, then slips back
into the rectum. Sil.

Tenesmus. Æscul. ; Alumina ; Ars. ; Coccul. ;

Granat. ; Hepar ; Hyper. ; Ign. ; Kali nit. ;

Lach. ; Mag. sul. ; Merc. cor. ; Merc. viv. ;

Mill. ; Taxus.

Thin. Guiac.

Undigested. Cal. carb. ; Con. ; Plat. ; *Sulph.*

Unsuccessful desire for. Acid nit. ; Anac. ; Berb. ;
Caust. ; Con. ; Lyc. ; Merc. viv. ; Oleum ;
Stann. ; *Sulph.*

Urgent desire at 1 A. M. Caulo.

Urging to stool. Bov. ; Lyc. ; Nux mos. ; Oleum.

Vomiting. Tobac.

Watery. Acid mur. ; Acon. ; Ant. crud. ; Caulo. ;
 Cham. ; China ; Iod. ; Kali iod. ; *Nat. mur.* ;
Sulph. ; Secale.

When walking. Carbo. an.

White. Acid phos. ; Acon. ; Bell. ; Graph. ; Iod. ;
Sulph.

Worms, as if. Bov.

Worse after stool. Ign. ; Kali carb. ; Lach. ; *Lyc.* ;
 Mag. mur.

before. Cinab. ; Graph. ; Lach. ; Mag. carb. ;
 Nat. carb.

at night. Aur. met.

from sour things. Ant. crud.

from walking. Ars.

Yellow. Acon. ; *Bor.* ; China ; Chel. ; Coccul. ; Im-
 pond. ; Kali iod. ; Lipps. ; Podo. ; *Raph.*

MIND.

Absent minded. Agn. ; Bov. ; Carls. ; Graph. ; Nat.
mur. ; Nux vom.

Abusive. Conium.

Active. Hyd.

Affected by trifles. Carls.

Angry. Acid mur. ; Anac. ; Ars. ; Aur. met. ; Bell. ;
Con. ; Crocus ; Cubeba ; Eupion ; Ledum ;
Mez. ; Nicol. ; Nux vom. ; Tarentula.

Anguish. Ars. ; *Aur. met.*

Annoyed easily. Sil.

Anxiety. Acid nit. ; Agnus ; Ant. tart. ; Arn. ; Bry. ;
Cal. carb. ; Carbo. an. ; Carbo. veg. ; Chel. ;
China ; Coccul. ; Fer. met. ; Guarea ; Ign. ;
Kali carb. ; Kali iod. ; Kali nit. ; Lach. ;
Lyc. ; Merc. sol. ; Nat. carb. ; Phos. ; Plat. ;
Puls. ; Sab. ; Sec. ; Sulph.

Apathy. Phos.

Appears imbecile. Arg. nit. ; Sulph.

Apprehensive. Anac. ; Bry. ; Caust. ; Coccul. ;
Graph.

Averse to being alone. Lil. tig.

Aversion to labor. China sul. ; Mill.

to opposite sex. Raph.

Bears suffering without complaint. Ign.
 Believes she is dying. Merc. sol. ; Phos.
 Bright. Hyd.
 Broods over imaginary wrongs. Naja.

Cannot bear noise. Nux vom.
 Changeable. Alumina ; Borax ; Cent. ; China ; Cro-
 cus ; Dros. ; Fagopy ; *Nux mos.*
 Cheerful. Am. mur. ; Eupi. ; Hyd. ; Nat. sul. ; Ole-
 um ; Sars.
 Coma. Plumb. ; Taxus.
 Complaining. Solan.
 Confused. Ambr. gr. ; Cinab. ; Iod. ; Lach. ; Lyc. ;
 Murex ; Nux vom. ; Opi.
 Conscientious. Ign. ; Sil.
 Consciousness, loss of. Berb.
 Contradictory. Canth.
 Conversation, avoids. Carbo. an.
 Cross. Fagopy ; *Nux vom.* ; Psor. ; Tarentula.

Day she shall die, predicts. Acon. ; Lach.
 Death, fears. Acid nit ; Acon. ; Apis ; Graph. ; Le-
 dum ; Opi. ; Plat. ; *Secale.*
 fears, near at hand. Plat.
 Dejected. Cim. ; Sil.
 Delicacy, personal loss of. Phyto.

Delirium. Ars. ; Bell. ; Bry. ; Canth. ; Con. ; Eupat. ;
Kali nit ; Phos. ; Plumb. ; Taxus.

furious. Ant. tart. ; Opi. ; Phos.

with difficult breathing. Phos. ; Secale.

Depressed. Am. carb. ; Dros. ; Elaps. ; Fer. met. ;
Ham. ; Helon. ; Hyper. ; Kali nit. ; Lil. tig. ;
Lipps. ; Lycopod ; Mag. sul. ; Merc. cor. ;
Nabul. ; Nat. carb. ; Nux vom. ; Phos. ; Puls.
nut. ; Sars. ; Thuya.

Desires death. Derris.

solitude. Aur. sul. ; Ledum.

Despair. Anac.

Despondent. Acid nit. ; Ars. ; Aur. met. ; Bry. ;
Cal. carb. ; Caust. ; China sul. ; *Graphl.* ;
Lyc. ; Mez. ; Sab. ; Zinc.

Die, fears she will. Acid nit. ; Acon. ; Apis ; Ars.

Difficult respiration. Phos. ; Secale.

Discontented. China ; Lam. ; Thuya.

Discouraged. China ; Coccul. ; Dros. ; Kali bi. ;
Phyto.

Disgust for life. Aur. met. ; Aur. sul.

Disinclined to labor. Aloes ; Cal. carb. ; Cyc.

Distressed. Lyc.

Disturbed. Lyc.

Does everything in a hurry. Acid sul.

Does not want to talk. Am. carb. ; Ant. crud.

Dread of mental labor. Nux vom.

Dull. Cedron ; Con. ; Gels. ; Lyc. ; Psor. ; Sumbul.

During sleep, weeping. Allium.

Dying, believes she is. Merc. sol.

Easily excited. Acid mur. ; Con. ; Granat. ; Graph. ;

Hura. ; Ign. ; Naja ; Pod.

frightened. Ign. ; Kali carb.

startled. Borax ; Opi. ; Sil.

vexed. Acid nit. ; Cyc. ; Lyc. ; Mez.

Emotional. Hyper.

Everything goes wrong. Ant. tart.

seems small. Plat.

Excitable. Acid mur. ; Acid nit. ; Ambr. gr. ; Apis ;

Carls. ; *Coff.* ; Con ; China ; Granat. ; *Graph.* ;

Hyper. ; Hura ; Ign. ; Mag. mur. ; Merc.

viv. ; Naja ; Pod.

Exhausted. Hyper.

Face red. Opi.

Fancies she will die. Acid nit. ; Acon. ; Apis ; Ars.

Fanciful. Elaps.

Fearful. Agnus ; Borax ; Opi.

Fears death. Acid nit. ; Acon. ; Apis ; Graph. ;

Ledum ; Opi. ; *Plat.* ; Plumb. ; Secale.

she will be murdered. Plumb.

she will lose her reason. Cal. carb. ; Guarea ;

Ledum.

Fears to undertake anything. Arg. nit.

Forgetful Baryta carb. ; Cal. phos. ; Coccul. ; Cyc. ;
Granat. ; Nat. mur. ; Phos. ; Sulph. ; Zinc.

Fright during sleep. Hepar.

Frightful imaginings. Hepar.

Frightened easily. Ign. ; Lycoperc.

Full of plans. Coff.

Fury. Bell.

Gayety. Hydrocotyl ; *Tarentula*.

Ghosts, dread of. Puls.

visions of. Opi.

Gloomy. Aur. sul. ; Bond. ; Cedron ; Graph. ; Ham. ;
Hydrocotyl ; Ign. ; Kali bi. ; Lycopod. ; Mag.
carb. ; Sep. ; Sil.

Good-humored. Carls.

Grieved easily. *Graph.*

Hallucinations. Anath. ; Cham.

Happy. Nat. sul.

Haughty. Plat.

Head, heaviness of. Acid nit.

Headache after shopping. Sepia.

after walking in open air. Am. carb.

Homesick. Acid phos. ; Carbo. an. ; Cent. ; Eupi.

Hopeless. Acid nit. ; Nat. mur.

Hurry, does everything in. Merc. viv.

- Hypochondriac. Arn. ; Mezer. ; Sabina.
 Hysterical. Acid phos. ; Con. ; Tarentula.
- Ill-humor. Acid nit. ; Allium ; Alumina ; Am. carb. ;
 Ant. tart.
- Illusions. Plat.
- Imaginary wrongs, broods over. Naja.
- Imagines. Acid nit. ; Æs. ; Lach.
- Imaginings, frightful. Hepar.
- Imbecile appearance. Arg. nit.
- Impending evil, fears. China. sul.
- Impotent. Cubeba ; Thuya.
- Indifferent. Acid pic. ; Arn. ; Carbo. veg. ; Guarea ;
 Nat. carb.
- Inability to study. Cop.
 to think. Gels.
- Inclined to laugh. Crocus.
 to sing. Crocus ; Derris.
 to suicide. Aur. ; Curare ; Naja.
 to weep. Acid sul. ; Derris ; Dros. ; Lam. ;
 Lil. tig ; *Mez.* ; *Nat. mur.* ; Puls. ; Sars. ;
 Sep. ; Teplitz.
- Intellect confused. Nux vom.
 dull. Sumbul.
 weak. Merc. cor.
- Insensibility. Opi. ; Taxus.
- Insolent. Canth.

Irritable. , Acid sul. ; Æscul. ; Bond. ; Carbo. veg. ;
 Cham. ; Eupi. ; Fer. met. ; Lipps. ; Merc.
 sol. ; Mill. ; *Nat. carb.* ; Nat. sul. ; Phos. ;
Sulph. ; Tarentula.

Irritability of the system. Acon. ; Kali carb.

Jovial. Carbo. veg.

Labor, disinclined to. Aloes.
 repugnance to. Nux. vom.

Lack of will power. Acid. pic.

Lassitude. Aloes.

Laughs till she cries. *Nat. mur.*

Laughter, nervous. - Acon. l. ; *Nat. mur.* ; *Nux. mos.*

Laughing. Apis.

Life, loathing of. Thuya.

Loss of memory. Anac. ; *Nux. mos.* ; Nux. vom. ;
 Plumb. ; Zinc.

Loathing of life. Thuya.

Loss of consciousness. Berb. ; Nat. mur.

Low spirited. Æscul. ; Agn. ; Merc. cor. ; Robi. ;
 Sulph.

Loss of mind. Nux. mos. ; Secale.

Malaise, feeling of. Helon.

Mania. Ars. ; Bell. ; Coccul.

Meditate, cannot. Bap.

Merry. *Pod.*

Melancholy. Aur. met. ; Caust. ; Crocus. ; Cyc. ; Nat. carb. ; *Nat. mur.* ; Solan. ; Thuya.

Memory, loss of Anac. ; Carbo. veg. ; Con. ; Cubeba. weak. Æscul. ; Acid phos. ; Carbo. veg. ; Con. ; Mez. ; Teplitz.

Mental activity. Lach. ; Opi. ; Physos. affections, many. Bell.

Mental labor, averse to. Brom. ; Phos. difficult. Sil.

Mild disposition. Ign.

Mind confused. Opi. unable to fix. Cim. ; *Nux mos.* weak. Cubeba.

Miserable feeling. Cim. ; Hura ; Lyc. ; Podo.

Mistakes, makes. Lach. .

Moaning. Cham. .

Morose. Cyc. ; Hura ; Puls.

Moves slow. Phos.

Nausea increases anxiety. Ant. tart.

Nervous. Acon. ; Borax ; Conn. ; Podo. ; Sep. ; Zizia. laughter. Acon. l. ; *Nat. mur.* ; *Nux mos.* ; Tarentula.

Nightmare. Am. mur.

Obliged to weep. Nat. mur.

Offended easily. Cyc.

Oppressed. Cann. ; Hura.

Passionate. Kali iod. ; Thuya.

Peevish. Acid mur. ; Acid. nit. ; *Aur. met.* ; Carbo. veg. ; Carls. ; Caust. ; Cham. ; Con. ; Crocus ; Elaps ; Kali bi. ; Kali iod. ; Kali nit. ; Lycoperc. ; *Nat. carb.* ; Plat. ; Thuya.

Predicts the day she shall die. Acon.

Proud. Platina.

Quarrelsome. Brom. ; Crocus ; Nicol. ; Nux vom.

Quiet fretfulness. Stann.

Rage. Bell.

Restless. Acid sul. ; Acon.

Reticent. Ign.

Right ovary sore ; distress in stomach ; cough. Apis.

Sad. Acid phos. ; Allium ; Anath. ; Ars. ; Aur. mur. ; Cann. ; Carbo. an. ; Castor. ; China ; Coccul. ; Cop. ; Crocus ; *Graph.* ; Helon. ; Hura ; Iod. ; Kali bi. ; Kali carb. ; * Kali fer. ; Lam. ; *Lyc.* ; *Phos.* ; Naja ; *Nat. carb.* ; *Nat. mur.* ; Oleum ; Plat. ; Psor. ; Puls. ; Sepia.

Scornful. *Lyc.*

Seeks unpleasant things, and broods over them.
Kreos.

Sensitive. Bov. ; Sil.

Sentimental. Psor.

Serene. Chel.

Sexual excitement. Lil. tig. ; *Phos.* ; Raph. ; Sabina.

Sing, inclined to. Coccus ; Crocus ; Derris.

Sleep, weeping during. Allium.

Sleep, fears to. Ledum.

Sleepless. Caust. ; Cham. ; China ; Coff.

Slow, movements. Phos.

Sobbing. Solan.

Solicitous about the future. Dros.

Solitude, seeks. Ledum.

Spirits, low. Æscul. ; Agn. ; Robin.

Spiteful. Kali iod.

Startled, easily. Acid nit. ; Lil.

Stupid. Alumina ; Bell. ; Cent. ; Coccus ; Con. ;
Ham. ; Nux mos. ; Opi. ; Secale ; Sulph. ;
Zinc.

Stupid laughter. Tarentula.

Suffering without complaint. Ign.

Suicide, tendency to. Aur. met. ; Aur. sul. ; Curare.

Sullen. Opi. ; Plumb. ; Psor

Suspicious. Anac.

Takes pleasure in nothing. *Sulph.*

Talkative. Bov. ; Canth. ; Carls. ; Crocus ; Mag. carb.

Talk, does not want to. Am. carb. ; Ant. crud.

Talking fatigues her. Ambr. gr.

Talks much, rapidly. Lach ; Opi.

Talks to herself. Ant. tart.

slow. *Phos.*

Tearful. Castor.

Tendency to start. Acid nit.

Think, unable to. Bap.

Uneasy. Allium; Dros.

Unhappy. China; Lach.; Mag. mur.

Vanishing of thoughts. Ran.

Vehement. Aur. met.

Vexatious ideas. Sulph.

Vexed easily. Acid nit.; Mezer.

Violent. Mill.; Nux vom.

Visions of ghosts. Opi.

Vivid imagination. Lach.

Walking, headache after. Am. carb.

Weak. Bap.

Weak memory. Acid phos.; Bry.; Guiac.; Mez.;
Teplitz.

Weak, miserable condition. Podo.

Weeping during sleep. Allium.

Weeping, inclined to. Acid sul.; Allium; Alumina;
Am. carb.; Anath.; Apis; Aur. mur.;
Bry.; Carbo. an.; Cop.; Derris; Graph.;
Kali fer.; Kreos.; Lam.; Lil. tig.; *Lyc.*;

Mang. ; *Mez.* ; *Nat. mur.* ; *Nux mos.* ;

Sars. ; Sep. ; Sulph. ; Teplitz.

Weep, is obliged to. *Nat. mur.* ; *Sulph.*

Wicked disposition. Curare.

Work, aversion to. Iod. ; Mill.

Worse all day. Carls.

at night. Am. mur. ; Bry. ; Carbo. an. ; Carbo.

veg. ; China ; Puls.

in afternoon. Canth.

in the morning. Carls. ; Lach.

leaning the head upon anything. Lycoperc.

in thunder-storm. Nat. carb.

Wretched feeling. Merc. sol.

Wrong, everything goes. Ant. tart.



00013834

